

Index

Note: Page numbers in bold refer to images.

A

Acetylcholine (ACh), 30–1, 141
Activator adjusting instrument (AAI)
 adjustment, 194
Active examination of animals, 258–9
Active methods, 10
 see also specific method
Active range of motion, 206, 208
 see also Range of motion
Acupuncture, 43, 143
 acupuncture points, 49–50, 140,
 141, 142–3
 Ah-shi points, 50, 142
Adaptation, 15, 16, 132
American College of Rheumatology,
 134
Anatomy trains, 43–6
Animal treatment, 259–61
 diagnostic process, 258–9
 equine osteopathy, 262–3
 under general anesthetic, 262
 history of, 255–6
 mechanisms of injury, 256
 neurophysiological effects of
 injury, 256–8
Ankles
 sprains, 229–31, **231**, 237–8
 taping, 244
Anterior talofibular ligament (ATFL),
 229
Antibiotics, intravenous, 102
Apoxia, 31–2
Applied pressure, 50–1
Arterial filling, unopposed, 41
Articular pillars, 214
ARTT acronym, 18–23
Asymmetry, ARTT acronym, 18

Atlanto-occipital joint, functional
 treatment of, 166–8, **167–8**
Attachment triggers, 141
Auricular tender point, 121, 124, **124**

B

Back-of-the-arm lines, 45–6, **46**
Back pain, 255
 see also Low back pain
Balance assessment, 21–2
Barriers, 26, 171
Beal's springing assessment for
 paraspinal facilitation, 29, 30
Bed-bound patients, treating, 69, 83,
 84–6, 107
Biceps femoris, 94–5, **96**
Bind, 2, 3, 11, 26, 49, 259
Biomechanical changes, 15
Biomechanical stress sequence, 27–9
Blanching, 46–7
Blocking techniques *see* Sacro-occipital
 'blocking' techniques (SOT)
Blocks, padded *see* Pelvic wedges;
 Sacro-occipital 'blocking'
 techniques (SOT)
Blood pressure, 138
Bowles's functional exercise, 157
Box exercise, SCS, **60**, 60–2, **61**
Brachial plexus injuries, 104
Bradykinin, 31
Breathing, 78, 109, 138
 dysfunction of, 132
 re-education of, 27

C

Calcium, 30–1
Carbon dioxide levels, 138
Carpal bones, MWM, 224

Central responses to injury, 256–8
Central triggers, 141
Centralization, 9, 203–4, **205**, 207–9
Cerebrospinal fluid (CSF), 115
Cerebrovascular accident (CVA), 236
Cervical extension exercise, SCS, **63**,
 63–4
Cervical extension strains, **68**, 68–9, **69**
Cervical flexion exercise, SCS, 62–3, **63**
Cervical flexion strains, 66, **66**, **67**, **68**
Cervical palpation, exercise in, 163–4,
 164
Cervical restriction, FPR for, **173**,
 173–4, **174**
Cervical side-flexion strains, 66–7, **67**
Cervical spine of animals, 260, **260**
Cervicothoracic area, assessment of
 tissue preference in, 17–18
Chain reactions, 26–7
Chapman's neurolymphatic reflexes,
 49
Chiropractic, 2, 182
Chiropractic manipulative reflex
 technique (CMRT), 179
Circulation, enhanced, 32
Circulatory concepts of SCS, 40–1
Cleavage planes, 142
Clinical reasoning, 97
Coccygeal lift method, 97, 112–14, **113**
Coherent responders, 184
Comfort zone, 25
Common compensatory pattern
 (CCP), 16, **17**, 17–18
Commonalities of methods, 3, 10
Compensation, **17**, 17–18, 24, 28, 29
Compression
 SCS exercise involving, 64
 temporomandibular joint, 126, **126**
Computerized electroencephalography
 (CEEG), 195
Connective tissue concepts of SCS,
 42–6

Contraindications
 facilitated positional release (FPR), 178
 strain and counterstrain (SCS), 58
 Coordination tests, 22, 23
 Core stability assessment, 22–3, 23
 Coronal tender points, 120, 121
 Counterstrain, 2–3, 4, 40, 42–6
see also Strain and counterstrain (SCS)
 Cranial dysfunction, 188
 Cranial exercises, 116–18
 Cranial motion, 115–16, 116
 Cranial rhythmic impulse (CRI), 115
 Cranial-sacral respiratory mechanism (CSR), 189
 Cranial techniques/treatment, 10, 11, 114–26
 Craniosacral motion, 115–16
 Crossed syndrome patterns, 19–21
 Crowding of the tissues, 7, 11
 Currie, Greg, 256

D

'Dead-bug' exercise/test, 22, 23
 Decompression, 17, 17–18
 Decompression, TMJ, 126
 Deep front line, 45
 DeJarnette, Major Bertrand, 179
 Depressed ribs, SCS, 79–80, 80, 81, 81
 Derangement syndrome, 206, 207–9
 Diagnostic process, animal treatment, 258–9
 Diagonal blocking, 183, 183, 185, 190–2, 191
 Diaphragm, releasing the, 105, 105
 Differences between methods, 10
 Directional preference, 180–2, 208
 Discectomy, 172
 Disengagement, 25
 Distortion, exaggeration of, 4
 Dizziness, 221–2
 Dominant tender points (DTPs), 59
see also Tender points
 Dorsiflexion, ankle, 229, 230
 Double AS listings, 192–3
 Double PI listings, 192–3
 Downward rotation, 247
 Drag palpation, 7, 29, 49
 Dura mater, 112
 Dynamic neutral position, 2, 3–4, 25, 51
 Dysfunction
 facilitation and the evolution of trigger points, 29–31
 ischemia and muscle pain, 31–2

Dysfunction (*Continued*)
 musculoskeletal-biomechanical stressors, 27–9
 optimal posture and function, 24–5
 palpatory literacy, 18–24
 tight-loose concept, 25–7
 variables, 15–18
 Dysfunction syndrome, 206, 207

E

Ease, 2, 3, 11, 26, 259
 positioning to find, 50–1
 towards, 40
see also Position of ease
 Elbow
 mobilization with movement, 225–7, 226
 strain and counterstrain, 65, 66
 Electromyographic (EMG) activity, 139
 Elevated ribs, SCS, 77–80, 78, 79, 80
 Encircling patterns, 25
 End-feel, 26
 End-range loading, 200
 End-range posture, 200
 Endorphin release, 237
 Equine osteopathy, 262–3
 Erythema, 46–7
 Evidence
 Spencer shoulder sequence protocol, 70
 strain and counterstrain (SCS), 36–7
see also Research
 Exaggeration of distortion, 4, 50, 97, 156
 Examination of animals, 258–9
 Exercise, 27
 Exercises
 cranial, 116–18
 functional, 156–68
 strain and counterstrain (SCS), 60–5
see also specific exercise
 Exhalation
 muscle tone and, 109
 rib dysfunction, 78
 Extension, McKenzie method, 200–1, 202, 203, 204
 Eye movements, 56

F

Facet rhizotomy, 172
 Facilitated positional release (FPR), 7, 11
 contraindications, 178
 muscular corrections using, 177

Facilitated positional release (FPR) (*Continued*)
 nature of, 171–2
 similarities and differences between SCS and, 178
 treatment of soft tissue changes in spinal region, 172–7
 Facilitation, 29–31, 37, 139–40, 234–5
 Fascial chains, 43–6
 Fascial compensation, 17
 Fascial concepts of SCS, 42–6
 Fascial patterns, testing and treating, 104–5, 105
 Fascial release, 11
 Fascial restriction techniques, 10
 Fascial unwinding, 260, 261, 262, 262
 Fasciitis, plantar, 244
 Feedback, patient, 56
 Fibromyalgia, 131
 muscle changes in, 135–9
 pathophysiology of, 133–5
 self-treatment SCS methods, 146–50
 strain and counterstrain (SCS), 144–5
 Fibrosis, 207
 Fibrositis *see* Fibromyalgia
 Filum terminale cephalad lift, 97, 112–14, 113
 Fine-tuning the ease position, 56–7
 Finger, MWM, 224
 Finger spread, 109, 110–11
 Firing sequence, 28
 Flexion, McKenzie method, 200–1, 202, 203
 Folding of tissues, 7, 11
 Foot
 mobilization with movement, 228
 taping, 244
 Force, optimal, 237
 Front-of-the-arm lines, 46, 46
 Function, optimal, 24–5
 Functional short leg, 189–90, 190
 Functional technique, 2, 6, 11
 exercises, 156–68
 objectives of, 156
 origins of, 155–6
 Functional tests, 29

G

Gamma-efferent system, 38
 Gamma motor system, 139
 Gate control theory, 234
 General adaptation syndrome (GAS), 15–16

General anesthetic, animal treatment
under, 262
Glenohumeral instability, 246
Gluteal dysfunction, 177, **177**
Gluteus medius
 strain and counterstrain (SCS),
 94, **95**
 weakness of, 20
Goodheart, George, 5–6, 107
 coccygeal lift, 112–14, **113**
 guidelines, 48
 positional release innovations,
 107–12
Gooseflesh appearance of skin, 29
Gravitational strain, 26–7
Greenman's spinal 'stacking' exercise,
 162–3, **163**
Guidelines for strain and
 counterstrain (SCS), 47, 48, 52
Gutstein's model, 133

H

Hamstrings, 94–5, **95, 96**
Head muscles, **119**
Headache technique, 213, 219–21,
 221–2
High-velocity, low-amplitude (HVLA)
 thrusting procedure, 182, 188,
 189
High-velocity thrust (HVT), 27
High voltage galvanic current, 194
Hinge joints, 212, **213**
Hip abduction test, 20, **20**
Hip adductors, short, 20
Hip extension test, 20–1, **21**
Hip joint, MWM, 232
Hoover's clavicle exercise, 107, **159**,
 159–61
Hoover's thoracic exercise, 107, 161–2
Hospitalized patients, 102–3
Hydrostatic pressure, 42
Hyperalgesic skin zones, 47
Hyperesthesia, 29
Hypertonicity, 28, 47
Hyperventilation tendency, 138
Hypoxia, 31–2

I

Indications
 hip joint MWM, 232
 Mulligan concept, 213–14
 strain and counterstrain (SCS), 58–9
Induration technique, 7, **7, 82, 211**

Inferior tibiofibular joint, 230
Infraorbital tender point, 120, 121, **121**
Infrared thermography, 263, **263**
Inguinal lift, 97, 114
Inhalation
 muscle tone and, 109
 rib dysfunction, 78
Inhibitory pressure, 143
Injury
 mechanisms of, 256
 neurophysiological effects of,
 256–8, **257**
 superimposed on chronic change,
 16
Innominate, 189, 190, **190, 191**
Integrated neuromuscular inhibition
 technique (INIT), 7–8, 31, 133,
 145, 146, **147**
Integration processes, 199
Interphalangeal joint, MWM, 224
Interspace dysfunction, SCS, 81–2, **82**
Intervertebral application of FPR, 173
Inversion, ankle, 230–1, **231**
Ischemia, 27, 28, 31–2
Ischemic compression, 50
Isometric contraction, assessment for
 Goodheart's approach, 6

J

Johnston and Styles's sensitivity
 exercise, 158–9
Joint abnormalities/problems, 172,
 233–4
Jones, Lawrence, 2–3, 5
 Jones's techniques, 51–2
 SCS cranial approach, 118–20,
 120–6

K

Kemp's test, 193
Knee
 functional treatment of the, **165**,
 165–6, **166**
 mobilization with movement, 231–2
 taping, 243–4

L

Lactic acid, 138
Lambdoidal dysfunction, 121–2, **122**
Lateral canthus tender point, 121, 122,
 122

Lateral hamstrings, 94–5, **96**
Lateral line, 44, **44**
Leg length, 189–90, **190**
Length-tension curves, 247, **247**
Lidocaine injections, 143
Limbs of animals, 260
Listening hand, 157
Local adaptation syndrome (LAS),
 15–16, 132
Local facilitation, 29, 30, 37, 140
Longitudinal offload, 244, 248
Looseness, 26
 see also Tight-loose concept
Low back exercise, SCS, 64–5
Low back pain, 36, 90–3, **91, 193, 237**
Lower crossed syndrome, **19, 19–20**
Lower limb exercise, SCS, 64–5, **65**
Lumbago, 39
Lumbar blocking, 186, **187, 193–4**
Lumbar extension strains, SCS, **88**,
 88–9, **89**
Lumbar flexion strains, SCS, 87–8
Lumbar intervertebral disc pathology,
 207–9
Lumbar restrictions, FPR for, **176, 176–7**
Lumbar SNAGs, 218–19, **219**
Lumbopelvic blocking, 188
Lumbopelvic flexion, 193
Lumbopelvic hypolordosis, 193, **194**
Lumbosacral region
 in animals, 261
 assessment of tissue preference in,
 18
Lymphatic drainage, improving, 107

M

Macrophages, 28
Manipulable lesion, 183
Mann, Felix, 49–50
Mapping and charting exercise, 59–60
Maps, tender point, 47, 52, **53–7**
Masseter tender point, 121, 122, **123**,
 125
Maxillary tender point, 120, 121, **121**
McKenzie's methods, 9, **9, 12, 194**,
 199–209
Mechanical examination, 200–1
Medial hamstrings, 94, **95**
Microtrauma, 138, 189
Mobilization with movement (MWM),
 8–9, 12, 37
 common errors for, 232–3
 Mulligan concept, 212, 213
 protocol for, 223
 regional techniques, 224–33

Morrison, Marsh, 7
 inguinal lift, 114
 Movement patterns, improving, 243, 246
 Mulligan concept, 211–14
 methods, 214–24
 MWMs: regional techniques, 224–33
 rationale of the, 233–40
 Muscle dysfunction
 evolution of, 132–41
 joints causing, 172
 Muscle energy technique (MET), 27, 144
 Muscle function, taping to alter, 247
 Muscle pain, 131–2
 clinical choices, 141–3
 evolution of muscle dysfunction, 132–41
 general treatment methods, 143–6
 ischemia and, 31–2
 self-treatment SCS methods for fibromyalgia, 146–50
 Muscle recruitment patterns, 246
 Muscle release reactions, 101–2
 Muscle spasm, 29–30, 47, 139
 Muscle spindles, **110**, 110–11, 132
 Muscle tone
 effect of breathing on, 109
 inappropriately excessive, 37
 increased, 27
 Muscles
 head and neck, **119**
 testing for weakness, 108
 Muscular corrections using FPR, 177, **177**
 Musculoskeletal-biomechanical stressors, 27–9
 Myodysneuria *see* Fibromyalgia
 Myofascial chains, 43–6
 Myofascial pain syndrome (MPS), 134, 135, 138
 Myofascial release (MFR), 27
 Myofascial trigger points *see* Trigger points

N

NAGs (natural apophyseal glides), 212, 214–16, **215**
 Nasal tender point, 121, 122, **123**
 Nausea, 221–2
 Neck muscles, **119**, 148–9, **149**
 Nerve supply to the head and neck, 221–2, **222**
 Neurological concepts of SCS, 37–40
 Neurological lens, 29

Neurolymphatic reflexes, 49
 Neuromatrix theory, 234
 Neuromuscular technique (NMT), 27, 133, 146
 Nociceptive hypothesis, 39
 Non-responders, 184

O

Occipito-atlantal area, assessment of tissue preference in, 17
 Occipitomastoid tender point, 121, 122–3, **123**
 Optimal force, 237
 Optimal posture and function, 24–5
 Orange peel appearance of skin, 29
 Orthopedic testing, 181
 Osseous manipulation, 172
 Osteoarthritis, 244
 Osteopathic assessment of somatic dysfunction, 18–23
 Osteopathic functional technique *see* Functional technique
 Osteopathic manipulative therapy (OMT), 36, 102, 145
 Osteopathic medicine, 2
 Outcome studies, padded wedges, 194–5

P

Padded wedges *see* Sacro-occipital 'blocking' techniques (SOT)
 Pain
 back, 255
 ischemia and, 31–2
 low back, 36, 90–3, **91**, 193, 237
 McKenzie method, 202–4
 musculoskeletal, 243
 myofascial pain syndrome (MPS), 134, 135, 138
 patellofemoral, 243–4
 patient grading of, 56
 pelvic, 132
 reduction of by taping, 243–4
 shoulder, 249
 tight-loose concept and, 26
see also Muscle pain
 Painful points, as a starting place for SCS, 6–7
 Palpation
 assessment of crossed syndrome patterns, 20
 comparing SCS with standard methods, 23–4

Palpation (*Continued*)
 drag, 7, 29, 49
 examination of animals, 259
 exercise in cervical, 163–4, **164**
 finding trigger points, 47
 tender point, 49
 tests for tender and trigger points, 145–6
 Palpatory literacy, 18–24
 Pancreatitis, 102
 Panic response, 40
 Paradoxical responders, 184
 Parallel joints, 212–13, **213**
 Passive methods, 10
see also specific method
 Passive motion testing, 259
 Pathoneurodynamics, 235–6
 Patients
 assistance with SCS, 58
 feedback from, 56
 hospitalized, 102–3
 stoic, 102
 Patterns of use, re-education of, 27
 Pectoralis major, SCS, 75–6, **76**
 Pectoralis minor, SCS, 76, **77**
 Pelvic blocks/wedges, 9–10, **10**, 193, **193**, 195
see also Sacro-occipital 'blocking' techniques (SOT)
 Pelvic dysfunction, 188–9
 Pelvic pain, 132
 Pelvic region in animals, 261, **261**
 Pelvic slippage, 114
 Pelvic torsion, 187–8, 189–90, 190, 191, **191**, **192**
 Pelvis, joints and ligaments of the, 93, **93**
 Peripheral joint mobilization, 235–6
 Peripheral mobilizations with movement, 222–4
 Peripheral responses to injury, 256
 Peripheralization, 202, 204, **205**, 207, 208, 209
 Piriformis, 20, 177, **177**
 Placebo effect, 234
 Plantar fasciitis, 244
 Plantar flexion, 228
 Pneumonia, 102
 Position of ease, 25, 40
 fine-tuning, 56–7
 functional technique, 156
 tender points and, 49–52
 Positional faults, 212
 Positional release (PR)
 common basis, 3
 commonalities and differences, 10–12

- Positional release (PR) (*Continued*)
 introduction, 1–2
 Jones's contribution, 2–3
 tender points, 4
 terminology, 2
 and trigger points, 31
 unlatching restrictions, 3–4
 variations, 4–10
- Positional release technique (PRT)
 general treatment options, 27
 similarities between Mulligan's concept, 212
 treating trigger points, 31
- Positioning guidelines for SCS, 48, 52
- Post-trauma adhesion formation, 132
- Posterior auricular tender point, 121, 124, **124**
- Posterior glide of the head of the humerus, 227, **227**
- Postoperative uses of positional release, 104–7
- Postural compensation patterns, 17, 17–18
- Postural syndrome, 205–7
- Posture
 optimal, 24–5
 re-education of, 27
- Pregnancy, positional release in, 107
- Pressure, 133
 inhibitory, 143
 maintaining, 58
 sustained, 50–1
- Primary respiratory mechanism, 115
- Prioritizing points for treatment, 52–6, 59
- Procaine injections, 143
- Progressive adaptation, 15, 132
- Prone diagonal blocking, 183, **183**, 190–2, **191**, **192**
- Prone pelvic blocking, 193, **193**
- Proprioception, 245, 246
- Proprioceptive hypothesis, 37–9
- Proprioceptive neuromuscular facilitation (PNF) techniques, 144
- Proprioceptive shoulder taping, **246**, 246–7
- Proprioceptive taping, 8, **8**, 11–12, 37, 243–51, **245–7**
see also Taping
- Provocation testing, 180–2, 183, 184–7
- Provocative lumbar blocking, 186, **187**
- Pseudoparesis, 27
- Psoas dysfunction
 Goodheart's protocol, **111**, 111–12
 strain and counterstrain (SCS), 89–90, **90**
- Pterygoid muscles, 127, **127**
- Pubococcygeus dysfunction, SCS, 94, **94**
- Q**
- Quadratus lumborum, shortness of, 20
- Quick scan, provocation testing, 185, **186**
- R**
- Range of motion, 18, 202–4, 206, 207, 208
- Raynaud's phenomenon, 135
- Reactions following SCS, 95–6
- Reflex techniques, 180
- Repetition, Mulligan concept, 212
- Repetitive end-range movements, 200, 206
- Replication of position of strain, 4–5, 48, 97, 156
- Research
 Mulligan concept, 237–40
 padded wedges, 184–5
 Spencer shoulder sequence protocol, 70
 strain and counterstrain (SCS), 36–7
- Respiration assist instruction, 109
- Respiratory distress, SCS for, 105
- Respiratory motion, 189
- Responders, 184, 185
- Responses to injury, 256–8, **257**
- Restriction, 40, **41**
- Rib dysfunction, 77–81, **78–81**, 105–7, **106**
- Rib-release technique, 10
- Rib tender points, self-treatment of, 150, **150**
- Rolfing techniques, 50
- Rotation, McKenzie method, 201, **205**
- S**
- Sacral foramen tender points, 90–3, **91**, **92**, **93**
- Sacro-occipital 'blocking' techniques (SOT), 9–10, **10**, 12
 conclusions, 195–6
 introduction, 179–80
 padded wedges, **180**
 history of, 179
 outcome studies on, 194–5
- Sacro-occipital 'blocking' techniques (SOT) (*Continued*)
 as a treatment method, 188–94
 using for examination purposes, 182–8
 provocation testing, directional preference and related procedures, 180–2
- Sacroiliac joint problems, SCS for recurrent, 89–90
- Sacroiliac joints, 189, 191–2, **192**, 193
- Sagittal plane blocking, 185, 192–3
- Sagittal tender points, 120
- Scanning evaluation (SE), 59–60
- Scapula, 227–8, 229, 249
- Scapulohumeral function, 250–1
- Scapulothoracic joint, 245, 250–1
- Schiowitz, Stanley, 178
- Schwartz's description of tender points, 84, 103
- Seat-belt technique, 231–2, **232**
- Segmental facilitation, 29, 37
- Self-help advice, 108
- Self-treatment SCS methods, 146–50
- Semimembranosus, 94, **95**
- Sensitization, 28, 29, 139–40
- Short leg, functional, 189–90, **190**
- Shoulder
 injury to the, 250
 mobilization with movement, **227**, 227–8
 pain in the, 249
 Spencer shoulder sequence protocol, **70**, 70–3, **71**, **72**, **73**
 taping, 245–51, **246**
- Shoulder abduction (and external rotation) restriction, 72–3
- Shoulder abduction restriction, 72, **72**
- Shoulder articulation and assessment of circumduction capability with compression or distraction, **71**, 71–2
- Shoulder extension restriction, **70**, 70–1
- Shoulder flexion restriction, 71, **71**
- Shoulder internal rotation restriction, 73, **73**
- Side effects of manual therapy, 101–2
- Side-gliding, 201, **203**, **204**
- Silicone breast implant syndrome (SBIS), 135
- SIN (severity, irritability and nature of presenting symptoms), 213
- Single leg stance balance tests, 21–2, **22**
- Sitting
 erect, 200, **201**
 slouched, 200, **200**

- Skin reactions to taping, 249–50
 Slackening of local tension, 7, 11
 Smith, Arthur, 255
 SMWAMs (spinal mobilization with arm movement), 230
 SMWLMs (spinal mobilization with limb movement), 212, 213
 SNAGs (sustained natural apophyseal glides), 234–5, **235**
 cervical, **216**, 216–17
 combining with taping, 239–40
 common errors using, 218
 indications for use, 8, 212, 213
 lumbar, 218, 219, **219**
 thoracic, 217–18
 Soft tissue changes in spinal region, 172–7
 Soft tissue dysfunction, SCS for, 47
 Somatic dysfunction, osteopathic assessment of, 18–23
 SOT blocks *see* Sacro-occipital ‘blocking’ techniques (SOT)
 Spasm, muscle, 29–30, 47, 139
 Spencer shoulder sequence protocol, 70, 70–3, **71**, **72**, **73**, 107
 Sphenobasilar junction, 116, 117, **117**, **124**, **124**
 Sphenoid tender point, 121, 125, **125**
 Spinal column lengthening, 112
 Spinal dural tissues, 112
 Spinal facet planes, 213, **213**
 Spinal facilitation, 29, 37
 Spinal joints, FPR for, 172–3, 174
 Spinal mobilization with arm movement, 211
 Spindles, muscle, **110**, 110–11, 132
 Spinous processes, 214
 Spiral lines, 44–5, **45**
 Spontaneous positional release *see* Positional release (PR)
 Spontaneous release by positioning *see* Strain and Counterstrain (SCS)
 Spontaneous release phenomenon, 43
 Spontaneously sensitive point, 50
 Springing assessment for paraspinal facilitation, 29, 30
 Squamosal tender point, 121, **125**, 125–6
 ‘Stacking’ sequence, 6
 Standing
 erect, 200, **201**
 slouched, 200, **201**
 Static examination of animals, 258
 Sternotomy, 104
 Stoic patients, 102
 Strain and counterstrain (SCS), 11, 31, 139
 advanced and functional approaches
 Goodheart’s and Morrison’s techniques, 112–14
 Goodheart’s positional release innovations, 107–12
 hospitalized patient, 102–3
 positional release and cranial treatment, 114–26
 positional release methods for TMJ problems, 126–7
 postoperative uses of positional release, 104–7
 side effects, 101–2
 any painful point as a starting place for, 6–7
 circulatory concepts of, 40–2
 clinical reasoning, 97
 comparing SCS palpation with standard methods, 23–4
 conventional training for, 42–9
 evidence for, 36
 exaggeration of distortion, 4
 exercises, 60–6
 geography of, 52–60
 key elements of, 42
 muscle problems and, 144
 neurological concepts of, 37–40
 other body areas, 96–7
 reactions following, 95–6
 replication of position of strain, 4–5
 similarities and differences between FPR and, 178
 techniques, 66–95
 tender points and the position of ease, 49–52
 trigger points and, 144–5
 workings of, 36–7
 Strains, 2–3, 4, 37
 acute and multiple, SCS, 47
 cervical, 66–9, **66–9**
 gravitational, 26–7
 lumbar, 87–9, **88–9**
 suboccipital, 67–8
 thoracic, 69, **69**, 82–7, **83–4**, **87–8**
 see also specific area
 Stressors, musculoskeletal-biomechanical, 27–9
 Stretch sensitivity, increased, 139
 Stretching, 143
 Stroke, 236
 Strong responders, 184, 185
 Sub-acromial impingement, 246
 Subclavius, SCS, **74**, 74–5
 Suboccipital muscles, self-treatment of, 148, **148**
 Suboccipital strains, 67–8
 Subscapularis, SCS, 75, **76**
 Substance P, 138
 Sudomotor changes, 46
 Superficial back line, **43**, 43–4
 Superficial front line, **44**, **44**
 Supine diagonal blocking, 190–2, **191**, **192**
 Supine pelvic blocking, 193, **193**, **194**
 Supraspinatus muscle, self-treatment of, 149–50, **150**
 Sustained natural apophyseal glides *see* SNAGs (sustained natural apophyseal glides)
 Sustained pressure, 50–1
 Sweating, 46–7
 Symphysis pubis, 189, 190, **190**, 191, **192**
 Syntegration, 199
 Synthesis processes, 199
- ## T
- Talocrural joint, MWM, 228–9, 230
 Taping, 222–4
 combining with SNAG, 239–40
 proprioceptive, 8, **8**, 11–12, 37, 243–51, **245–7**
 TART examination, 23–4
 Temporal freedom of movement exercise, 117–18, **118**
 Temporomandibular joint, 126–7, **126–7**
 of animals, 260, **260**
 Tender point palpation scale (TPPS), 36
 Tender points (TPs), 140
 characteristics of, 46–7
 comparing SCS palpation with standard methods, 23–4, **24**
 cranial, 118, 120–6
 description of, 4
 effect of SCS on, 36
 finding, 42, 47–9
 maps of, 47, 52, **53–7**
 as monitors, 3, 5, 50
 palpation tests for, 145–6
 position of ease and, 49–52
 sacral foramen, 90–3, **91**, **92**, **93**
 Schwartz’s description of, 84, 103
 self-treatment of rib, 150, **150**
 using for self-treatment, 147–8
 Tennis elbow, 225–7, **226**
 Tensegrity, 42, **42**, 93, **94**

- Tension, 7, 11, 139
 Tensor fascia lata (TFL), shortness of, 20
 Terminology, 2, 26, 138–9, 157
 Test thrusting, 182
 Theories of strain and counterstrain (SCS), 37
 Thoracic extension restriction
 treatment, 176
 Thoracic extension strains, 69, 69, 86–7, 87
 Thoracic flexion restriction and FPR, 175–6, 176
 Thoracic flexion strains, 82–6, 83, 84, 88
 Thoracic region dysfunction, FPR for, 174–5, 175
 Thoracic SNAGs, 217–18
 Thoracolumbar area, assessment of
 tissue preference in, 18
 Thoracoscapulohumeral rhythm, 250
 Thrusting, test, 182
 Thumb dysfunction, 238, 238–9
 Tibialis anterior, 95, 96
 Tight-loose concept, 22, 25–7, 134
 Tightness, 26
 Timing
 holding the position of ease, 108–9
 strain and counterstrain (SCS), 48
 Tipping, 247, 250
 Tissue preference, 17–18, 25
 Tissue tenderness, 23
 Tissue tension exercise, SCS, 64
 Tissue texture changes, 18
 Tissues, crowding of the, 7, 11
 Tone *see* Muscular tone
 Torticollis, 39
 Total mesenteric apron, 194
 Tracking problems, 212
 Traffic light effect, 258, 258
 Training, strain and counterstrain (SCS), 42–9
 Training (deliberate adaptation), 16
 Transverse offload, 244, 248
 Transverse vertebral glides, 228
 Trapezius, 244, 245
 self-treatment of, 149, 149
 strain and counterstrain (SCS), 74, 74
 taping, 247, 247
 Travell and Simons trigger point
 model, 30–1
 Treatment options, general, 27
 Trigger point facilitation *see* Local
 facilitation
 Trigger point release, 8
 Trigger points, 26, 136–7
 causes of, 132
 characteristics of, 140–1
 choices of treatment, 141
 comparison to tender points, 49
 deactivation of, 27
 evolution of, 29–31
 general treatment methods, 143–6
 influences of, 139
 muscle pain, 131
 palpation tests for, 145–6
 positional release and, 31
 Travell and Simons model, 30–1
 types of, 141
 with weakness, 27
- U**
- Unlatching restrictions, 3–4
 Unloading taping *see* Proprioceptive
 taping
 Upper crossed syndrome, 19, 19
 Upper limb exercise, SCS, 65, 66
 Upper trapezius, SCS, 74, 74
- V**
- Variables, dysfunction, 15–18
 Vestibulo-cochlear nerve, 221–2
 Visual synkinesis, 56
- W**
- Weak responders, 184, 185
 Wedges, padded *see* Sacro-occipital
 ‘blocking’ techniques (SOT)
 Wider perspective of dysfunction, 25
 Woolbright, Colonel Jimmie, 60
 Working level, 120, 120
 Wrap-around pattern, 25
 Wrist, MWM, 224, 224–5
- Z**
- Zygomatic tender point, 121, 126