

# Index

## A

- A-delta fibers, 28
- Abductor pollicis longus, De Quervain's tenosynovitis, 274, 275
  - deep stripping, 275
  - pin and stretch, 275–6
- Achilles tendinosis, 94–7
- Achilles tendon, 94
  - retrocalcaneal bursitis treatment, 93, 94
- Acromial process, 238
- Acromioclavicular joint, 227
- Acromioclavicular ligament, shoulder separation, 246, 247
  - deep friction, 248–9
- Acromioplasty, 239
- Active engagement, 51–4
  - bicipital tendinosis, 243
  - calcaneal valgus, 109
  - calcaneal varus, 110
  - connective tissue effects, 68
  - frozen shoulder, 229, 232
  - neuromuscular tension reduction, 66
  - pes cavus, 107
  - with resistance, medial tibial stress syndrome, 102
  - tissue fluid movement effects, 65
  - whiplash associated disorder, 219
- Active engagement lengthening movements
  - Achilles tendinosis, 95–6
  - anterior compartment syndrome, chronic (exertional), 100
  - bicipital tendinosis, 245
  - cubital tunnel syndrome, flexor carpi ulnaris, 266
  - hamstring strains, 143, 144
- Active engagement shortening movements
  - Achilles tendinosis, 95
  - anterior compartment syndrome, chronic (exertional), 99–100
  - bicipital tendinosis, 244, 245
  - cubital tunnel syndrome, flexor carpi ulnaris, 266
  - hamstring strains, 143, 144
  - lateral epicondylitis, wrist extensors, 258–9
    - medial epicondylitis, 261, 263
- Active isolated stretching (Mattes method), 60
- Active-assisted stretching, 59–60
  - neck pain, neuromuscular, 201
  - quadratus lumborum
    - lateral pelvic tilt, 170
    - low back pain, 179
- Active engagement lengthening movements (continued)
  - lateral epicondylitis, wrist extensors, 259
  - medial epicondylitis, 261, 263
  - medial tibial stress syndrome, 102
  - neck pain, neuromuscular, 201, 202–3
  - patellofemoral pain syndrome, 133
  - plantar fasciitis, 89
  - pronator teres syndrome
    - pronator teres, 269, 270
    - wrist flexors, 268–9
  - pyriformis syndrome, 157
  - rotator cuff strain, posterior rotator cuff muscles, 236
  - tarsal tunnel syndrome, 91
  - thoracic outlet syndrome, scalenes, 212
- Active isolated stretching (Mattes method), 60
- Active-assisted stretching, 59–60
  - neck pain, neuromuscular, 201
  - quadratus lumborum
    - lateral pelvic tilt, 170
    - low back pain, 179
- Acture, 110
- Acupressure, 69
- Adaptability of treatment, 8
- Adductor brevis, 144
- Adductor longus, 144
- Adductor magnus, 144
- Adductor pollicis, Guyon's canal syndrome, 277
- Adductors, thigh, 144
  - medial collateral ligament sprain, stretching, 126, 127, 130
  - strains, 144–7
    - grading, 145
    - treatment, 145–7
- Adhesive capsulitis, 19, 228–32, 248
- Adverse neural tension, 23
- Anatomical snuff box, 175, 274
- Ankle sprains, 78–83
  - lateral, 79
  - medial, 79–80
  - syndesmosis, 80
  - treatment, 80–3
- Anterior chest muscles
  - frozen shoulder
    - static compression, 230–1
    - sweeping cross fiber, 230
  - glenohumeral dislocation/subluxation, sweeping cross fiber, 251–2
  - kyphosis
    - static compression, 192
    - sweeping cross fiber, 191
  - shoulder separation, sweeping cross fiber, 248
- Anterior compartment syndrome, 97–100
  - acute, 97–8
    - massage contraindication, 100
  - chronic (exertional), 98

Anterior cruciate ligament sprain, 118–22  
 mechanisms of injury, 119–20  
 treatment, 120–2  
 “unhappy triad” injuries, 125

Anterior deltoid  
 frozen shoulder, sweeping cross fiber, 230  
 kyphosis, 191

Anterior pelvic tilt, 164–7

Anterior sacroiliac ligament, 159

Anterior scalene syndrome, 207, 210, 211–12

Anterior tibiotalar ligament, 79

Anterior transposition of ulnar nerve, 265

Anxiety, 68

Articular cartilage, 24

Atlanto-occipital joint, 199

Atrophy, muscle, 15  
 quadriceps  
 patellar tendinosis, 140  
 patellofemoral pain syndrome, 131

Autonomic nervous system effects, 69

Avulsion injury  
 adductor strains, 145  
 ankle, 82–3  
 medial ligaments, 80  
 hamstring strains, 143, 144

Axonotmesis, 23, 24

Axoplasmic flow, 21, 23

**B**

Balance boards, medial collateral ligament rehabilitation, 126

Ballistic stretching, 58–9

Bankart lesion, 250

Bed rest, low back pain, 176–7

Beta-endorphin, 69

Biceps brachii  
 bicipital tendinosis  
 deep longitudinal stripping, 244  
 pin and stretch, 244–5  
 sweeping cross fiber, 243–4  
 fibrous band (lacertus fibrosus), median nerve compression, 267–8  
 glenohumeral dislocation/subluxation, sweeping cross fiber, 252  
 thoracic outlet syndrome, 208

Biceps brachii tendons, 246  
 compression in shoulder  
 impingement, 238, 239

Biceps brachii tendons (continued)  
 long head, 242, 246, 250  
 bicipital tendinosis, deep friction, 245

Biceps femoris, 142  
 sacroiliac joint relationships, 159, 160  
*see also* Hamstrings

Bicipital tendinosis, 242–6  
 frozen shoulder, 228

Blood pressure, massage-related  
 reduction, 69

Blood vessels, effects of massage, 64

Botulinum toxin injection, spasmodic torticollis, 215, 217

Bow legs *see* Genu varum

Brachial plexus, 199  
 nerve root compression, 205  
 thoracic outlet syndrome, 207

Bunion, 103, 104, 105

**C**

C fibers, 28

Calcaneal valgus, 108–9  
 overpronation, 111–12

Calcaneal varus, 109–10  
 excessive supination of foot, 111

Calcaneofibular ligament, 79

Calcific tendinitis  
 frozen shoulder, 228  
 supraspinatus, 233

Capsaicin, 35, 40

Capsular pattern, 19

Carpal tunnel, 270

Carpal tunnel syndrome, 7, 9, 269, 270–4  
 pathology, 270–2  
 treatment, 272–4

Cartilage, 24

Cervical collar, 200, 218

Cervical dystonia *see* Spasmodic torticollis

Cervical extensors  
 forward head posture, 222  
 neck pain, deep longitudinal stripping, 201–2

Cervical flexors, neck pain, active engagement techniques, 202–3

Cervical lordosis, exaggerated, 191

Cervical rib, 207, 210

Cervical traction  
 cervical herniated nucleus pulposus, 205  
 whiplash, 218

Cervical vertebral fusion, 205

Charcot–Marie–Tooth disease, 107

Chemical gel packs, 31, 35–6

Chemoneurolysis, 182

Chiropractic treatment, 9

Chondromalacia patellae, 134–5

Circulatory compromise, cold therapy  
 contraindication, 39

Circulatory effects  
 cold therapy, 37  
 heat therapy, 32–3  
 massage, 64–7  
 connective tissue, 69  
 topical analgesics, 40–1

Codman’s pendulum exercises, frozen shoulder, 229

Cold allergy, 38

Cold immersion, 35, 36

Cold intolerance, 38

Cold therapy (cryotherapy), 35–9  
 benefits, 36–8  
 bicipital tendinosis, 243  
 with compression, 37  
 contrast treatments, 38  
 De Quervain’s tenosynovitis, 275  
 lateral epicondylitis, 260  
 modalities, 35–6  
 monitoring, 35, 36, 38  
 patellar tendinosis, 140, 141  
 precautions/contraindications, 36, 38–9  
 stages of treatment, 36  
 subacromial bursitis, 241  
 zygapophysial (facet) joint irritation, 184

Communication, practitioner–client, 44

Compression  
 with cold applications, 37  
 nerve injury, 21

Compression broadening, 45–6  
 Achilles tendinosis, 95  
 with active muscle movement, 51, 52–3  
 adductor strains, 145, 146  
 hamstring strains, 143  
 neuromuscular tension reduction, 66  
 with passive joint movement, 50  
 patellar tendinosis, 141  
 plantar fasciitis, 89  
 quadriceps  
 anterior cruciate ligament rehabilitation, 121  
 patellofemoral pain syndrome, 133  
 retrocalcaneal bursitis, 93  
 tissue fluid movement enhancement, 65  
 wrist extensors, lateral epicondylitis, 258  
 wrist flexors  
 Guyon’s canal syndrome, 278

- Compression broadening (continued)  
 medial epicondylitis, 261, 262  
 pronator teres syndrome, 268
- Concentric muscle contraction, 14  
 active engagement techniques, 52
- Conditioning activities, 10  
 massage practitioner self-care, 10–11  
 pes cavus, 107  
 pes planus, 106  
 shin splints prevention, 102
- Conductive heat transfer, 29, 30, 35
- Connective tissue  
 massage effects, 67–8  
 blood pressure, 69  
 pliability  
 following cold therapy, 39  
 following heat therapy, 33  
 stretching effects, 56
- Conoid ligament, shoulder separation, 246
- Contract-relax (contract-relax-stretch; hold-relax), 59
- Contract-relax-antagonist-contract (CRAC), 60
- Contusion, muscle, 16
- Convection, 29, 31
- Conversion, non-thermal energy into heat, 30
- Coracoacromial arch, 238
- Coracoacromial ligament, 238
- Coracobrachialis, thoracic outlet syndrome, 207
- Coracoclavicular ligament, shoulder separation, 246, 247
- Coracohumeral ligament, compression in shoulder impingement, 238
- Coracoid process, 238
- Corticosteroid injections  
 Achilles tendinosis client history, 94  
 Achilles tendon rupture association, 95  
 carpal tunnel syndrome, 272  
 De Quervain's tenosynovitis, 275  
 frozen shoulder, 229  
 hallux valgus, 104  
 iliotibial band friction syndrome, 136  
 lateral epicondylitis, 257  
 low back pain, 177  
 herniated nucleus pulposus, 182  
 medial epicondylitis, 261  
 Morton's neuroma, 84  
 plantar fasciitis, 87  
 retrocalcaneal bursitis, 93  
 rotator cuff strain, 234  
 shoulder impingement, 239  
 subacromial bursitis, 241  
 tarsal tunnel syndrome, 91
- Corticosteroid injections (continued)  
 trochanteric bursitis, 162
- Costoclavicular syndrome, 207, 208, 211–12
- Counterirritants, 39–40  
 skin thermal receptor stimulation, 41
- Creep, 67
- Cruciate ligaments, 118  
 sprain *see* Anterior cruciate ligament sprain; Posterior cruciate ligament sprain
- Cryotherapy *see* Cold therapy
- Cubital tunnel, 264
- Cubital tunnel syndrome, 264–7
- Cumulative trauma disorders (repetitive stress injuries), 4
- Cutaneous innervation, 22
- ## D
- De Quervain's tenosynovitis, 274–7
- Deep broadening, anterior compartment syndrome, chronic (exertional), 99
- Deep friction  
 bicipital tendinosis, 243, 245–6  
 biceps tendon, 245  
 hallux valgus, 104  
 iliotibial band friction syndrome, 138  
 lateral collateral ligament sprain, 128, 129  
 lateral epicondylitis, wrist extensor tendons, 259  
 medial collateral ligament sprain, 126–7  
 medial epicondylitis, 262  
 wrist flexor common tendons, 263  
 patellar tendinosis, 141  
 rotator cuff strain  
 posterior rotator cuff region, 236  
 subscapularis, 237  
 supraspinatus tendon, 235  
 shoulder separation,  
 acromioclavicular joint ligaments, 248–9  
 tarsal tunnel syndrome, 91–2  
*see also* Deep transverse friction
- Deep longitudinal stripping, 47–8  
 with active muscle movement, 51  
 adductor strains, 145, 146  
 ankle sprain, 81  
 anterior compartment syndrome, chronic (exertional), 99  
 anterior cruciate ligament rehabilitation, quadriceps/hamstrings, 121–2  
 anterior pelvic tilt
- Deep longitudinal stripping (continued)  
 iliopsoas, 165  
 quadratus lumborum, 165, 166  
 rectus femoris, 165  
 spinal extensors, 166  
 bicipital tendinosis, biceps brachii, 244  
 cubital tunnel syndrome, flexor carpi ulnaris, 265  
 hamstring strains, 143  
 lateral epicondylitis, wrist extensors, 258  
 lateral pelvic tilt, quadratus lumborum, 170, 171  
 lengthening strokes  
 active engagement, 53  
 passive engagement, 51  
 low back pain, 177  
 in lamina groove, 178–9  
 quadratus lumborum, 178  
 spinal extensors, 178  
 medial epicondylitis, wrist flexors, 262  
 neck pain, neuromuscular cervical extensors, 201–2  
 in lamina groove, 202  
 with passive joint movement, 50, 51  
 patellofemoral pain syndrome, quadriceps, 133  
 pectoralis minor syndrome, 212–13  
 plantar fasciitis, 89  
 posterior pelvic tilt, hamstrings, 169  
 sacroiliac joint dysfunction  
 hamstrings, 161  
 lumbar muscles, 161  
 scoliosis  
 in lamina groove, 195  
 quadratus lumborum, 195  
 spinal extensors, 195  
 shoulder separation, 247  
 spondylolysis/spondylolysthesis  
 hamstrings, 188  
 spinal extensors, 188  
 tarsal tunnel syndrome, 91  
 thoracic outlet syndrome, scalenes, 211  
 tissue fluid movement enhancement, 65  
 trochanteric bursitis  
 gluteal muscles, 163  
 tensor fasciae latae, 163  
 zygapophysial (facet) joint irritation  
 erector spinae, 185  
 in lamina groove, 185  
 quadratus lumborum, 185  
 spinal extensors, 185
- Deep stripping  
 Achilles tendinosis, 95  
 calcaneal valgus, 108–9

Deep stripping (continued)  
 calcaneal varus, peroneal muscles, 110  
 De Quervain's tenosynovitis, thumb tendons, 275  
 frozen shoulder, pectoralis major, 231  
 glenohumeral dislocation/subluxation  
 infraspinatus, 252  
 pectoralis major, 252  
 teres minor, 252  
 Guyon's canal syndrome, wrist flexors, 278–9  
 iliotibial band friction syndrome, lateral thigh muscles, 137  
 kyphosis  
 pectoralis major, 192  
 pectoralis minor, 192  
 posterior back muscles, 193  
 medial tibial stress syndrome, 102  
 Morton's neuroma, 85  
 neck pain, neuromuscular, 201  
 pes cavus, 107  
 plantar fasciitis, 89  
 pronator teres syndrome, wrist flexors, 268  
 rotator cuff strain  
 deltoid, 235  
 infraspinatus, 236  
 supraspinatus, 235  
 teres minor, 236  
 sacroiliac joint dysfunction, gluteus maximus, 160  
 shoulder separation  
 pectoralis major, 248  
 supraspinatus, 248  
 upper trapezius, 248  
 tarsal tunnel syndrome, 92  
*see also* Deep longitudinal stripping  
 Deep transverse friction, 46, 47  
 Achilles tendinosis, 95, 96  
 adductor strains, 145, 146  
 ankle sprain, 81, 82  
 De Quervain's tenosynovitis, thumb tendons, 275, 276  
 hamstring strains, 143–4  
 medial collateral ligament sprain, 127  
 plantar fasciitis, 88  
 scar tissue effects, 67  
 tendon disorders, 67  
 Delayed onset muscle soreness, 65  
 cold therapy, 38  
 Deltoid ligament, 79, 80  
 Deltoids  
 glenohumeral dislocation/subluxation, sweeping cross fiber, 252

Deltoids (continued)  
 rotator cuff strain, deep stripping, 235  
 shoulder impingement, 239  
 shoulder separation, sweeping cross fiber, 248  
 Denervation muscle atrophy, 15  
 Depression, 68  
 Dermatomes, 22  
 Diathermy, 30  
 Disc extrusion, 181, 204  
 Disc herniation *see* Herniated nucleus pulposus  
 Disc prolapse, 181, 204  
 Disc protrusion, 181, 204  
 Disc sequestration, 181, 204  
 Discectomy, 182  
 Disuse muscle atrophy, 15  
 Double crush nerve injury, 23, 209  
 cubital tunnel syndrome, 265  
 Dry heating pads, 31  
 Dry needling, piriformis muscle myofascial trigger points, 156

## E

Eccentric muscle contraction, 14  
 active engagement techniques, 53  
 strain injury, 15  
 Ecchymosis (bruising), 16  
 Edema  
 ankle sprain, 80, 81, 82  
 cold therapy response, 37  
 delayed onset muscle soreness, 65  
 heat application contraindication, 34  
 massage effects, 64  
 Effleurage, 44–5  
 Achilles tendinosis, 95  
 adductor strains, 145, 146  
 anterior compartment syndrome, chronic (exertional), 99  
 anterior pelvic tilt, lumbar muscles, 166  
 anterior scalene syndrome, 211  
 costoclavicular syndrome, 211  
 frozen shoulder, 229  
 hamstring strains, 143, 144  
 kyphosis, upper back muscles, 192  
 lateral collateral ligament sprain, 129  
 lateral epicondylitis, 257  
 lateral pelvic tilt, lumbar muscles, 170–1  
 low back pain, neuromuscular, 177–8  
 medial epicondylitis, 261  
 neck pain, neuromuscular, 201  
 neuromuscular tension reduction, 66  
 spasmodic torticollis, 216

Effleurage (continued)  
 spondylolysis/spondylolysthesis, 188  
 tissue fluid movement enhancement, 65  
 whiplash associated disorder, 219  
 Elastic cartilage, 24  
 Elbow braces  
 cubital tunnel syndrome, 265, 266  
 medial epicondylitis, 261  
 pronator teres syndrome, 268  
 Electrical stimulation, lateral epicondylitis, 257  
 Erector spinae, 189  
 anterior pelvic tilt, 165, 166  
 low back pain, neuromuscular, 176, 178  
 neck pain, neuromuscular, 201–2  
 sacroiliac joint dysfunction, 161  
 scoliosis, 195  
 spondylolysis/spondylolysthesis, 188  
 zygapophysial (facet) joint irritation, 185  
 Excessive supination of foot, 110–11  
 calcaneal varus, 109  
 tarsal tunnel syndrome, 90, 91  
 Exertional compartment syndrome  
*see* Anterior compartment syndrome, chronic  
 Exostosis (bony spur)  
 Haglund's deformity (pump bump), 92–3  
 plantar fasciitis, 87, 88, 90  
 shoulder impingement, 238, 239  
 Extensor carpi radialis brevis, lateral epicondylitis, 256  
 Extensor digitorum longus, 97  
 shin splints, 102  
 Extensor hallucis longus, 97  
 shin splints, 102  
 Extensor pollicis brevis, De Quervain's tenosynovitis, 274, 275  
 deep stripping, 275  
 pin and stretch, 275–6  
 Extensor pollicis longus, De Quervain's tenosynovitis, 275  
 Extracorporeal shock wave therapy, plantar fasciitis, 88

## F

Facet joints *see* Zygapophysial joints  
 Facilitated stretching, 60  
 Fascia, 19–20, 54, 56  
 massage effects, 67  
*see also* Myofascial techniques  
 Fasciotomy, 98  
 Femoral artery, 147

Femoral nerve, 147  
 Femoral vein, 147  
 Fibrocartilage, 24  
 Fibrous adhesions, joint capsule, 19  
 Flat foot *see* Pes planus  
 Flexibility training, 9  
   massage practitioner self-care, 10  
 Flexor carpi radialis, medial  
   epicondylitis, 260  
 Flexor carpi ulnaris, 264  
   cubital tunnel syndrome, 265  
   active engagement lengthening, 266  
   active engagement shortening, 266  
   deep longitudinal stripping, 265  
 Flexor digitorum longus, 90  
   ankle sprain, 81  
 Flexor digitorum profundus, 270  
 Flexor digitorum superficialis, 270  
 Flexor hallucis longus, 90  
   ankle sprain, 81  
 Flexor pollicis longus, 270  
   De Quervain's tenosynovitis, 275  
 Fluid mechanics, massage effects, 64–7  
 Fluori-methane spray, 36  
 Fluoroquinolones, tendon damage, 94, 142  
 Foot baths, 29–30  
 Footwear  
   anterior compartment syndrome, 98  
   hallux valgus, 103, 104  
   Morton's neuroma, 83–4, 85  
   plantar fasciitis, 86  
   retrocalcaneal bursitis, 92, 93  
 Force closure, sacroiliac joint, 159, 160  
 Forearm support bands, 256  
 Form closure, joint, 159  
 Forward head posture, 221–4  
   upper crossed syndrome, 222  
 Foundational techniques, 45  
 Friction, 46–7  
   circular, 46  
   longitudinal, 46  
   medial collateral ligament sprain, 126  
   patellar tendinosis, 141  
   patellofemoral pain syndrome, 133  
   sacroiliac joint dysfunction, posterior  
     sacroiliac ligaments, 161  
   transverse, 46  
   *see also* Deep friction; Deep transverse  
     friction  
 Frozen shoulder, 228–32  
   primary/secondary, 228  
   stages, 228, 231–2  
   treatment, 229–32

## G

Gastrocnemius  
   Achilles tendinosis, 96  
   plantar fasciitis, 88  
     compression broadening, 89  
     deep longitudinal stripping, 89  
     retrocalcaneal bursitis, 93  
   *see also* Triceps surae group  
 Gate control theory, 28–9  
 Genu valgum (knock-knees), 147–8  
 Genu varum (bow legs), 148–9  
 Glenohumeral dislocation/subluxation, 249–52  
   Bankart lesion, 250  
   complications of instability, 250–1  
   frozen shoulder, 228  
   SLAP (superior labrum anterior  
     posterior) lesion, 250  
   treatment, 251–2  
 Glenohumeral joint, 227  
   adhesive capsulitis, 228  
   capsule compression, shoulder  
     impingement, 238  
   frozen shoulder, 230, 231  
   stabilizing soft tissues, 250  
 Glenoid labrum, 250  
 Gliding *see* Effleurage  
 Gluteal muscles  
   piriformis syndrome, 157–8  
     sweeping cross fiber, 156  
   sacroiliac joint dysfunction  
     static compression, 160  
     sweeping cross fiber, 160  
   sacroiliac ligament relationships, 159, 160  
   trochanteric bursitis, 162, 163  
     sweeping cross fiber, 163  
 Gluteus maximus, 160  
   anterior pelvic tilt, 165  
   iliotibial band friction syndrome, 137  
     myofascial trigger point  
       treatment, 137  
   sacroiliac joint dysfunction, deep  
     stripping, 160  
   trochanteric bursitis, 162  
     deep longitudinal stripping, 163  
 Gluteus medius  
   anterior pelvic tilt, 165  
   trochanteric bursitis, 162  
     deep longitudinal stripping, 163  
 Gluteus minimus, trochanteric bursitis, 162  
   deep longitudinal stripping, 163  
 Golfer's elbow *see* Medial epicondylitis  
 Golgi tendon organ, 57

Gracilis, 124  
   *see also* Adductors, thigh  
 Greater sciatic notch, 154  
 Grecian foot *see* Morton's foot  
 Groin area, soft-tissue work, 146–7  
 Groin strain/pull *see* Adductors, thigh,  
   strains  
 Guyon's canal, 277  
 Guyon's canal syndrome, 277–9

## H

Haglund's deformity (pump bump), 93  
 Haglund's syndrome, 92  
 Hallux valgus, 103–5  
 Hamstring strains, 142–4  
   grading, 142  
 Hamstrings  
   anterior cruciate ligament sprain  
     rehabilitation, 122  
     compression broadening, 121  
     deep longitudinal stripping,  
       121–2  
     massage, 120  
     strengthening, 119, 120  
     stretching, 120  
     sweeping cross fiber, 121  
   lateral pelvic tilt, 170  
   posterior pelvic tilt, 168  
     deep longitudinal stripping, 169  
     sweeping cross fiber, 168  
   sacroiliac joint dysfunction, 160  
     deep longitudinal stripping, 161  
     spondylolysis/spondylolsthesis, 187  
     deep longitudinal stripping, 188  
 Handlebar palsy *see* Guyon's canal  
   syndrome  
 Head posture, forward, 221–4  
 Heat bags/pillows, 31  
 Heat packs, 29, 30  
 Heat therapy, 30–5  
   benefits, 32–3  
   bicipital tendinosis, 243, 245  
   cervical herniated nucleus pulposus,  
     205  
   contraindications, 33–5, 40, 41  
   contrast treatments, 38  
   De Quervain's tenosynovitis, 275  
   frozen shoulder, 229, 232  
   iliotibial band friction syndrome, 138  
   modalities, 30–2  
     local applications, 30–1  
     whole-body applications, 31–2  
   safety, 30, 34  
   subacromial bursitis, 241  
   whiplash associated disorder, 220  
 Heat transfer, 29–30

Heel lifts  
 Achilles tendinosis, 94  
 lateral pelvic tilt/leg-length discrepancy, 170  
 retrocalcaneal bursitis, 93  
 Hemorrhage, heat application  
 contraindication, 34  
 Herniated nucleus pulposus, 181–3,  
 184, 189  
 cervical spine, 204–6  
 stages, 181, 204  
 Hip (iliofemoral) joint, 153  
 Hot stones, 30, 31  
 Hunchback *see* Kyphosis  
 Hyaline cartilage, 24  
 Hypertonicity (muscle tightness),  
 14–15, 65  
 cold therapy, 38  
 heat therapy, 33  
 postural muscles, 165

**I**

Ice applications  
 bicipital tendinosis, 245  
 cervical herniated nucleus pulposus,  
 205  
 cubital tunnel syndrome, 266–7  
 lateral epicondylitis, 256–7  
 medial collateral ligament sprain,  
 127  
 medial epicondylitis, 261  
 plantar fasciitis, 87, 90  
 piriformis muscle myofascial trigger  
 points, 156  
 shin splints, 101  
 shoulder separation, 247  
 subacromial bursitis, 241  
 trochanteric bursitis, 162  
 whiplash associated disorder, 220  
 Ice bags, 29, 35  
 Ice massage, 36  
 Ice water immersion, 35, 36  
 Iliocostalis lumborum, scoliosis, 194  
 Iliofemoral (hip) joint, 153  
 Iliolumbar ligament, 159  
 Iliopsoas, 189  
 anterior pelvic tilt, 165  
 muscle energy technique, 167,  
 190  
 treatment caution with direct  
 pressure through  
 abdomen, 166, 167, 190  
 external iliac artery relationship, 166  
 zygapophysial (facet) joint irritation,  
 185  
 muscle energy technique, 185

Iliotibial band, 135  
 iliotibial band friction syndrome,  
 deep friction, 138  
 lateral collateral ligament sprain  
 short stripping, 129  
 sweeping cross fiber, 129  
 patellar tracking disorders, 130  
 trochanteric bursitis, 162, 163  
 Iliotibial band friction syndrome, 135–8,  
 149  
 Immobilization, muscle atrophy, 15  
 Immune system, effects of massage, 69  
 Inferior glenohumeral ligament, 250  
 Inflammation, heat application  
 contraindication, 33–4  
 Infrared heat lamps, 30  
 Infraspinatus, 232  
 glenohumeral dislocation/subluxation,  
 deep stripping, 252  
 rotator cuff strain, 233  
 active engagement lengthening,  
 236  
 deep stripping, 236  
 static compression, 235–6  
 Integrated neuromuscular inhibition  
 technique (INIT), 67  
 Intercondylar notch, 119  
 Interdigital neuroma *see* Morton's  
 neuroma  
 Interspinales, 189  
 Intertransversarii, 189  
 Ischemic changes, anterior compartment  
 syndrome, 97, 98  
 Isometric muscle contraction, 14  
 active engagement techniques, 53  
 contract–relax stretch, 59  
 contract–relax–antagonist–contract  
 (CRAC), 60

**J**

Jacuzzi tubs, 29–30  
 Joint capsule, 19–20  
 Joint mouse, 139  
 Joints  
 capsular pattern, 19  
 mobilization, ankle sprain, 82  
 Jumper's knee *see* Patellar tendinosis

**K**

Kinesiology, 49  
 Knee braces/splints  
 chondromalacia patellae, 135  
 lateral collateral ligament sprain, 128  
 medial collateral ligament sprain, 125

Knee joint mouse, 139  
 Knock-knees *see* Genu valgum  
 Kyphosis, 190–3  
 forward head posture, 222, 223

**L**

Lamina groove, deep longitudinal  
 stripping  
 low back pain, 178–9  
 neck pain, 202  
 scoliosis, 195  
 zygapophysial (facet) joint irritation,  
 185  
 Laminectomy, 182, 205  
 Lateral collateral ligament, 128  
 short stripping, 129  
 Lateral collateral ligament sprain,  
 128–30  
 mechanism of injury, 128  
 Lateral epicondylitis (tennis elbow),  
 256–60  
 Lateral heel wedge, tarsal tunnel  
 syndrome, 91  
 Lateral meniscus, 138  
*see also* Meniscal injury  
 Lateral pelvic tilt, 169–72  
 Lateral plantar nerve, 83  
 Latissimus dorsi, 160  
 myofascial trigger  
 points, 210  
 Leg fascial compartments, 97  
 Leg-length discrepancy  
 lateral pelvic tilt, 170  
 low back pain, 176  
 sacroiliac joint dysfunction, 159  
 scoliosis, 195  
 Legal scope of practice, 75  
 Lengthening strokes  
 active engagement, 53–4  
 passive engagement, 50–1  
 Levator scapulae  
 forward head posture, 222  
 neck pain, deep longitudinal  
 stripping, 202  
 Ligament, 18  
 massage effects, 67  
 plastic deformation, 18  
 sprain, 18, 67  
 Longitudinal stripping  
 plantar surface of foot  
 pes cavus, 107  
 plantar fasciitis, 88  
 piriformis syndrome, 157  
 retrocalcaneal bursitis, 93  
*see also* Deep longitudinal  
 stripping



- Longus capitis  
 forward head posture, 222  
 whiplash associated disorder, 220, 221
- Longus coli  
 forward head posture, 222  
 whiplash associated disorder, 220, 221
- Low back pain, 175–6  
 disc herniation *see* Herniated nucleus pulposus  
 myofascial trigger points, 176  
 neuromuscular, 176–80  
 massage precautions/  
 contraindications, 180  
 postural disorders, 176, 179–80  
 spondylolysis/spondylolysis, 186, 187
- Lower crossed syndrome, 165, 189
- Lumbar bracing/corsets, sacroiliac joint dysfunction, 160
- Lumbar lordosis  
 exaggerated, 189–90  
 anterior pelvic tilt, 164, 165  
 facet joint irritation, 184, 185  
 forward head posture, 222  
 posterior pelvic tilt, 167–8
- Lumbar muscles  
 anterior pelvic tilt  
 effleurage, 166  
 sweeping cross fiber, 166  
 herniated nucleus pulposus, 183  
 lateral pelvic tilt, 170, 172  
 effleurage, 170–1  
 static compression, 171  
 sweeping cross fiber, 170–1  
 low back pain, neuromuscular  
 deep longitudinal stripping, 177, 178  
 effleurage, 177–8  
 myofascial techniques, 177  
 sweeping cross fiber, 177–8  
 sacroiliac joint dysfunction, 160  
 deep longitudinal stripping, 161  
 sweeping cross fiber, 160  
 zygapophysial (facet) joint irritation, deep longitudinal stripping, 185
- Lumbodorsal fascia, sacroiliac joint dysfunction  
 deep longitudinal stripping, 161  
 sweeping cross fiber, 160
- Lymphatic drainage techniques, 64  
 ankle sprain, 81–2
- Lymphatic fluid movement, 64  
 heat application response, 33
- M**
- Malignancy, heat therapy  
 contraindication, 34
- Mattes method (active isolated stretching), 60
- Mechanoreceptors, 28
- Medial collateral ligament, 124, 125
- Medial collateral ligament sprain, 124–7  
 with meniscal damage, 124–5  
 “unhappy triad” injuries, 125
- Medial epicondylitis (golfer’s elbow), 260–4
- Medial meniscus, 124, 138  
 “unhappy triad” injuries, 125  
*see also* Meniscal injury
- Medial plantar nerve, 83
- Medial tibial stress syndrome, 101
- Median nerve compression, 270  
 carpal tunnel syndrome, 7, 270  
 lacertus fibrosus, 267–8  
 pronator teres syndrome, 267
- Median nerve mobilization, carpal tunnel syndrome, 273
- Meniscal injury, 138–40  
 mechanisms, 139
- Mental impairment, thermal therapy  
 contraindications, 34, 39
- Menthol, 35
- Metabolism  
 cold therapy response, 37  
 heat therapy response, 32
- Metatarsal mobilization, Morton’s neuroma, 84–5
- Metatarsal spreading, Morton’s neuroma, 84
- Metatarsophalangeal joint, hallux valgus, 104
- Moist heat packs, 31
- Morton’s foot, 105–6
- Morton’s neuroma, 83–6
- Movement, restoration of normal pattern, 9–10
- Multi-directional short stripping  
 lateral collateral ligament sprain, 129  
 medial collateral ligament sprain, 126  
 patellofemoral pain syndrome, quadriceps retinaculum, 133
- Multifidi, 189  
 low back pain, 176  
 scoliosis, 194
- Muscle, 14–16  
 atrophy, 15  
 contraction, 14  
 contusion, 16  
 fascia relationship, 20
- Muscle (continued)  
 hypertonicity *see* Hypertonicity (muscle tightness)  
 strain, 15–16
- Muscle energy technique, 60  
 anterior pelvic tilt, iliopsoas, 166, 167  
 neuromuscular tension reduction, 66  
 combined treatment techniques, 67  
 piriformis syndrome, 157  
 spasmodic torticollis, 216  
 thoracic outlet syndrome, anterior/lateral neck muscles/fascia, 212  
 whiplash associated disorder, 219–20, 221  
 zygapophysial (facet) joint irritation, iliopsoas, 185
- Muscle soreness  
 cold therapy response, 38  
*see also* Delayed onset muscle soreness
- Muscle spasm  
 lower back pain, 180, 183  
 neck pain, 201, 203, 206  
 spasmodic torticollis, 214
- Muscle spindle cells, 57, 65
- Muscular dystrophy, 107
- Musculoskeletal disorders, 4–5
- Musculotendinous junction injury, 16, 17  
 adductor strains, 145, 146  
 clinical signs, 145  
 hamstring strains, 142  
 rotator cuff strain, supraspinatus tendon deep friction, 235
- Myofascial release, 54, 55–6  
 frozen shoulder, 230  
 shoulder separation, 248  
 transverse carpal ligament  
 carpal tunnel syndrome, 273  
 Guyon’s canal syndrome, 279
- Myofascial techniques, 54–6  
 ankle sprain, 81–2  
 anterior scalene syndrome, 211  
 carpal tunnel syndrome, 272, 273  
 connective tissue effects, 67–8  
 costoclavicular syndrome, 211  
 frozen shoulder, 229  
 low back pain, 177  
 neck pain, 201, 202  
 shoulder impingement, 239  
 spasmodic torticollis, 215–16, 217  
 whiplash associated disorder, 220
- Myofascial tissues, 20, 55  
 sensory innervation, 20
- Myofascial trigger points  
 autonomic nervous system effects, 69

Myofascial trigger points (continued)  
 forward head posture, 222, 223  
 frozen shoulder, 228, 231  
 iliotibial band friction syndrome,  
 136, 137  
 kyphosis, 191  
 lateral epicondylitis, wrist extensors,  
 256  
 low back pain, 176  
 medial epicondylitis, 261  
 Morton's foot, 105  
 muscle tension headaches, 223  
 neck pain, 200  
 posterior pelvic tilt, 168  
 postural muscles, 165  
 piriformis muscle, 154, 156  
 static compression methods, 48, 49,  
 66, 231  
 Myositis ossificans, 16  
 Myotomes, 22

## N

Neck pain  
 herniated nucleus pulposus, 204–6  
 neuromuscular, 200–4  
 patient position for treatment,  
 204  
 Nerve, 20–4  
 cutaneous innervation, 22  
 degeneration, 23  
 injuries, 23–4  
 cold therapy-related, 39  
 double/multiple crush  
 phenomenon, 23  
 vulnerable sites, 23  
 ischaemic symptoms, 21  
 Nerve compression, 21  
 anterior compartment syndrome, 97  
 piriformis syndrome, 154, 156, 158  
 thoracic outlet syndrome, 207,  
 209–10  
 Nerve conduction velocity  
 cold therapy response, 37  
 heat therapy response, 33  
 Nerve root compression, herniated  
 nucleus pulposus, 182  
 cervical spine, 204, 205  
 Nerve roots, 20, 21, 22  
 injury, 22, 23  
 Neural stretching/mobilization, 86  
 carpal tunnel syndrome, median  
 nerve, 273, 274  
 cubital tunnel syndrome, ulnar nerve,  
 266  
 Guyon's canal syndrome, ulnar  
 nerve, 279

Neural stretching/mobilization  
 (continued)  
 Morton's neuroma, 85, 86  
 pectoralis minor syndrome, 213  
 pronator teres syndrome, 268  
 tarsal tunnel syndrome, 92  
 thoracic outlet syndrome, 210–11,  
 214  
 Neurapraxia, 23–4  
 Neurological effects of stretching,  
 56–7  
 Neurolymphatic reflex points  
 (Chapman), 69  
 Neuromatrix theory, 29  
 Neuromuscular patterns rehabilitation,  
 9–10  
 Neuromuscular tension reduction, 65–7  
 Neuropathy, 23  
 Neurotmesis, 23, 24  
 Neurovascular reflex points (Bennett), 69  
 NIRS (rehabilitation protocol), 9  
 Nociceptors, 27–8  
 Non-steroidal anti-inflammatory drugs  
 Achilles tendinosis, 95  
 anterior compartment syndrome, 98  
 carpal tunnel syndrome, 272  
 hallux valgus, 104  
 low back pain, 177  
 shoulder separation, 247  
 subacromial bursitis, 241  
 tarsal tunnel syndrome, 91  
 trochanteric bursitis, 162

## O

Obesity, overpronation, 111  
 Orthopedic assessment, 5–7  
 Orthopedic massage  
 components, 5–10  
 definition, 5  
*see also* Soft-tissue manipulation  
 Orthopedics, definition, 4, 5  
 Orthotics  
 Achilles tendinosis, 94, 96  
 anterior compartment syndrome, 98  
 calcaneal valgus, 108, 109  
 calcaneal varus, 109, 110  
 excessive supination, 111  
 genu valgum, 148  
 genu varum, 149  
 hallux valgus, 104  
 iliotibial band friction syndrome, 136  
 lateral pelvic tilt/leg-length  
 discrepancy, 170  
 Morton's foot, 105  
 Morton's neuroma, 84  
 overpronation, 113

Orthotics (continued)  
 pes cavus, 107  
 pes planus, 106  
 plantar fasciitis, 87  
 shin splints, 101  
 tarsal tunnel syndrome, 91  
 Osteoarthritis, 19  
 Osteoporosis, 191, 222, 223  
 Oversupination *see* Excessive supination  
 of foot  
 Overpronation, 111–13  
 Achilles tendinosis, 94  
 calcaneal valgus, 108  
 plantar fasciitis, 86, 88  
 tarsal tunnel syndrome, 90, 91  
 Overuse tendon injury, 17–18

## P

Pain, 27–8  
 acute, 28  
 chronic, 28  
 cold therapy, 37  
 gate control theory, 28–9, 66  
 heat therapy, 33  
 neuromatrix theory, 29  
 referred, 28  
 topical analgesics, 39, 40  
 Pain gate theory, 28–9, 66  
 Pain–spasm–pain cycle, 65, 66  
 cold therapy, 37, 38  
 neck pain, 200  
 Paraffin wax heat treatment, 31  
 Pars interarticularis stress fracture,  
 186  
 Passive engagement techniques, 50  
 Patella, mobility enhancement, friction  
 techniques, 133  
 Patellar taping, 132  
 Patellar tendinosis (jumper's knee),  
 140–2  
 Patellar tendon, 140  
 infrapatellar/suprapatellar portions,  
 140  
 patellofemoral pain syndrome, 132  
 Patellar tracking disorders, 130, 134  
 with genu valgum, 148  
 quadriceps retinaculum stretching,  
 135  
 Patellofemoral joint, 118  
 Patellofemoral pain syndrome, 130–4  
 instability, 131  
 origins of pain, 130–1  
 positive movie sign, 131  
 treatment, 131–4  
 Pectineus, 144  
*see also* Adductors, thigh



- Pectoralis major  
 forward head posture, 222  
 frozen shoulder  
 deep stripping, 231  
 pin and stretch, 231  
 static compression, 230–1  
 sweeping cross fiber, 230  
 glenohumeral dislocation/  
 subluxation  
 deep stripping, 252  
 pin and stretch, 252  
 sweeping cross fiber, 252  
 kyphosis, 191  
 deep stripping, 192  
 static compression, 192  
 sweeping cross fiber, 191  
 myofascial trigger points, 210  
 shoulder separation  
 deep stripping, 248  
 pin and stretch, 248  
 sweeping cross fiber, 248
- Pectoralis minor  
 forward head posture, 222  
 kyphosis, 191  
 deep stripping, 192  
 pectoralis minor syndrome  
 deep stripping, 212–13  
 pin and stretch, 213  
 thoracic outlet syndrome, 208
- Pectoralis minor syndrome, 207, 208, 212–14
- Pelvic tilt  
 anterior, 164–7  
 lateral, 169–72  
 posterior, 167–9
- Percutaneous laser disc decompression, 182, 205
- Periostitis, shin splints, 100, 101
- Peroneal muscles  
 ankle sprain, 81  
 calcaneal valgus, 108–9  
 calcaneal varus, 110
- Peroneal nerve compression, anterior compartment syndrome, 97
- Peroneus brevis, pes cavus, 107
- Peroneus longus, pes cavus, 107
- Pes anserine muscle group, 124  
 medial collateral ligament sprain, multi-directional short stripping, 126
- Pes cavus, 106–8  
 plantar fasciitis association, 86, 87
- Pes planus (flat foot), 106  
 plantar fasciitis association, 86, 87
- Phonophoresis  
 De Quervain's tenosynovitis, 275  
 lateral epicondylitis, 257
- Physiological effects of treatment, 64–70  
 connective tissue, 67–8  
 neuromuscular, 65–7  
 psychological, 68–9  
 tissue fluid mechanics, 64–7
- Pin and stretch, 51, 53  
 anterior pelvic tilt  
 iliopsoas, 165  
 quadratus lumborum, 165  
 rectus femoris, 165  
 bicipital tendinosis, biceps brachii, 244–5
- De Quervain's tenosynovitis, thumb tendons, 275–6
- frozen shoulder, 232  
 pectoralis major, 231  
 glenohumeral dislocation/  
 subluxation, pectoralis major, 252
- iliotibial band friction syndrome, tensor fasciae latae, 137–8
- lateral pelvic tilt, quadratus lumborum, 170, 171
- low back pain, 177  
 quadratus lumborum, 179
- patellar tendinosis, 141
- patellofemoral pain syndrome, 134
- pectoralis minor syndrome, 213
- pronator teres syndrome, 269, 270
- pyriformis syndrome, 157
- shoulder separation, pectoralis major, 248
- spasmodic torticollis, sternocleidomastoid, 216
- trochanteric bursitis, tensor fasciae latae, 163–4
- Plantar digital nerves, 83
- Plantar fascia  
 pes cavus defects, 106–7  
 pes planus defects, 106
- Plantar fasciitis, 86–90
- Positional release, 49, 50  
 combined treatment techniques, 67  
 whiplash associated disorder, 220
- Post isometric relaxation, 59, 60
- Posterior cruciate ligament sprain, 123–4  
 mechanism of injury, 123
- Posterior interosseous nerve  
 compression, 260
- Posterior longitudinal ligament, cervical spine, 204
- Posterior pelvic tilt, 167–9
- Posterior sacroiliac ligament, 159
- Posterior talofibular ligament, 79
- Posterior tibial nerve, 90
- Posterior tibiotalar ligament, 79
- Postural disorders  
 anterior pelvic tilt, 165  
 cervical spine, 200, 221–4  
 facet joint irritation, 184, 185  
 foot/ankle, 103–13  
 forward head posture, 221  
 hip/pelvis, 164–72  
 knee, 147–9  
 low back pain, 176, 179–80  
 lumbar/thoracic spine, 189–96  
 thoracic outlet syndrome, 210, 214
- Posture, massage practitioner self-care, 10–11
- Practitioner self-care, 10–11, 277
- Practitioner–client relationship, 68–9
- Pregnancy  
 heat therapy contraindication, 34  
 sacroiliac joint dysfunction, 159
- PRICE (protection, rest, ice, compression, elevation)  
 adductor strains, 145  
 ankle sprains, 80  
 hamstring strains, 143
- Proliferant injections, sacroiliac joint dysfunction, 160
- Prolotherapy, shoulder separation, 247
- Pronator teres  
 active engagement lengthening, 269, 270  
 pin and stretch, 269, 270
- Pronator teres syndrome, 267–70  
 median nerve compression, 267
- Proprioceptive neuromuscular facilitation, 60
- Proprioceptors, 28, 57  
 neuromuscular effects of massage, 65, 66
- Psychological effects of treatment, 68–9  
 reflex effects, 69–70
- Pulled muscle *see* Strain, muscle
- Pump bump (Haglund's deformity), 93
- Pyriformis muscle  
 anatomical variations in sciatic nerve relationship, 154–5  
 landmarks for location, 156  
 myofascial trigger points, 154, 156  
 piriformis syndrome, 154–8  
 active engagement lengthening, 157  
 longitudinal stripping, 157  
 muscle energy technique, 157  
 pin and stretch, 157  
 sacroiliac ligament relationships, 159
- Pyriformis syndrome, 154–8

## Q

- Q angle, 118–19, 130
- Quadratus lumborum, 189
- anterior pelvic tilt, 165
    - deep longitudinal stripping, 165, 166
    - pin and stretch, 165
    - stretching, 165
    - sweeping cross fiber, 165
  - lateral pelvic tilt, 170
    - deep longitudinal stripping, 170, 171
    - pin and stretch, 170, 171
  - low back pain, 176
    - active assisted stretching, 179
    - deep longitudinal stripping, 178
    - pin and stretch, 179
  - sacroiliac joint dysfunction
    - deep longitudinal stripping, 161
    - sweeping cross fiber, 160
  - scoliosis, 194
    - deep longitudinal stripping, 195
  - zygapophysial (facet) joint irritation,
    - deep longitudinal stripping, 185
- Quadriceps
- anterior cruciate ligament sprain, 119, 120
    - compression broadening, 121
    - deep longitudinal stripping, 121
    - massage, 120
    - stretching, 120
    - sweeping cross fiber, 121
  - atrophy, 131, 140
  - medial collateral ligament sprain,
    - multi-directional short stripping, 126
  - patellar tendinosis, 141
    - stretching, 141
  - patellar tracking disorders, 130
  - patellofemoral pain syndrome, 132
    - active engagement lengthening movements, 133
    - compression broadening, 133
    - deep longitudinal stripping, 133
    - strengthening, 131, 134
    - stretching, 132
    - sweeping cross fiber, 132
  - posterior cruciate ligament
    - rehabilitation, 124
    - strengthening, 123
- Quadriceps retinaculum
- lateral collateral ligament sprain,
    - short stripping, 129
  - patellar tracking problems,
    - stretching, 135

- Quadriceps retinaculum (continued)
- patellofemoral pain syndrome, multi-directional short stripping, 133

## R

- Radial tunnel syndrome, 260
- Radiation heat transfer, 29–30, 31
- Radiculopathy, 23
- Raynaud's disease, cold therapy
  - contraindication, 38–9
- Reciprocal inhibition, 59, 60
  - lower crossed syndrome, 165
- Rectus abdominis
  - anterior pelvic tilt, 165
  - posterior pelvic tilt, sweeping cross fiber, 168
- Rectus femoris
  - anterior pelvic tilt, 165
    - deep longitudinal stripping, 165
    - pin and stretch, 165
    - stretching, 165
    - sweeping cross fiber, 165
  - zygapophysial (facet) joint irritation, 185
- Referred pain, 28
- Reflex effects of massage, 69–70
- Reflex points, 69
- Rehabilitation protocol, 8–10
  - Achilles tendinosis, 96
  - adductor strains, 147
  - ankle sprains, 82
  - anterior compartment syndrome, chronic (exertional), 100
  - anterior cruciate ligament sprain, 122
  - anterior pelvic tilt, 167
  - bicipital tendinosis, 245
  - calcaneal valgus, 109
  - calcaneal varus, 110
  - carpal tunnel syndrome, 273–4
  - cubital tunnel syndrome, 266
  - De Quervain's tenosynovitis, 276
  - frozen shoulder, 231–2
  - glenohumeral dislocation/subluxation, 252
  - Guyon's canal syndrome, 279
  - hallux valgus, 105
  - hamstring strains, 144
  - iliotibial band friction syndrome, 138
  - kyphosis, 193
  - lateral collateral ligament sprain, 129–30
  - lateral epicondylitis, 260
  - lateral pelvic tilt, 171–2
  - low back pain
    - disc herniation, 183
    - neuromuscular, 179–80
- Rehabilitation protocol (continued)
- medial collateral ligament sprain, 127
  - medial epicondylitis, 263
  - medial tibial stress syndrome, 102–3
  - Morton's neuroma, 85–6
  - neck pain
    - disc herniation, 206
    - neuromuscular, 203
  - patellar tendinosis, 141–2
  - patellofemoral pain syndrome, 133–4
  - pes cavus, 108
  - pes planus, 106
  - plantar fasciitis, 90
  - posterior pelvic tilt, 169
  - pronator teres syndrome, 269
  - pyriformis syndrome, 157–8
  - retrocalcaneal bursitis, 93–4
  - rotator cuff strain, 237
  - sacroiliac joint dysfunction, 161–2
  - scoliosis, 195
  - shin splints, 102–3
  - shoulder separation, 249
  - spasmodic torticollis, 216–17
  - spondylolysis/spondylolsthesis, 188
  - steps (NIRS), 9
  - tarsal tunnel syndrome, 92
  - thoracic outlet syndrome, 214
  - trochanteric bursitis, 164
  - whiplash associated disorder, 220
  - zygapophysial (facet) joint irritation, 185–6
- Reiter's syndrome, 97
- Relaxation as treatment response, 68
- Relaxin, 159
- Repetitive stress injuries (cumulative trauma disorders), 4
- Resistance bands, medial collateral ligament rehabilitation, 126
- Retrocalcaneal bursa, subcutaneous/subtendinous, 92
- Retrocalcaneal bursitis, 92–4
- Rhomboids
  - forward head posture, 223
  - kyphosis, 191
    - deep stripping, 193
    - effleurage, 192
    - sweeping cross fiber, 192
- RICE (rest, ice, compression, elevation),
  - contraindication in anterior compartment syndrome, 98, 100
- Rolfing, 54
- Rotator cuff muscles, 232
- Rotator cuff strain, 232–7, 250
  - frozen shoulder, 228
  - pathology, 232–4
  - treatment, 234–7

Rotatores, 189  
 scoliosis, 194  
 Rubefacients, 39  
 Ruffini endings, 20, 47, 54

## S

- Sacroiliac joint, 153, 158  
 ligaments, 159  
 sacroiliac joint dysfunction,  
 friction massage, 161  
 sacral nutation/counternutation, 158  
 Sacroiliac joint dysfunction, 158–62  
 treatment, 159–60  
 Sacrospinous ligament, 154, 159  
 sciatic nerve relationship, 155  
 Sacrotuberous ligament, 159  
 Salicylates, 40  
 Sartorius, 124  
 Saunas, 30, 31, 32  
 Scalenes  
 neck pain, deep longitudinal  
 stripping, 202  
 thoracic outlet syndrome, 207  
 deep longitudinal stripping, 211  
 muscle energy technique, 212  
 static compression, 211  
 stripping with active engagement,  
 212  
 Scapulothoracic joint, 227  
 Scar tissue  
 massage effects, 67  
 mobilization, ankle sprain, 81, 82  
 Scheuermann's disease, 191  
 Sciatic nerve, 154  
 anatomical variations, 154–5  
 entrapment, piriformis syndrome, 154  
 tarsal tunnel syndrome, stretching/  
 mobilization, 91  
 Scoliosis, 193–5  
 functional, 193, 194  
 rib hump, 194  
 structural, 193  
 lateral pelvic tilt, 170  
 Semimembranosus, 142  
*see also* Hamstrings  
 Semispinalis capitis, forward head  
 posture, 223  
 Semitendinosus, 124, 142  
*see also* Hamstrings  
 Sensory nerve impairment, thermal  
 therapy contraindications, 34, 39  
 Serratus anterior  
 forward head posture, 222  
 shoulder impingement, 239  
 Serratus posterior superior, kyphosis, 191  
 deep stripping, 193  
 Shin splints, 100–3  
 anterior/lateral, 101  
 posterior/medial (medial tibial stress  
 syndrome), 101  
 Shoe inserts, Achilles tendinosis, 96  
 Shoes *see* Footwear  
 Shortening strokes  
 active engagement, 52–3  
 passive engagement, 50  
 Shoulder, frozen *see* Frozen shoulder  
 Shoulder impingement, 232, 237–40,  
 250  
 primary/secondary, 238  
 stages, 239  
 Shoulder pain, 227  
 Shoulder separation, 246–9  
 types, 247, 249  
 Skin  
 broken/irritated, thermal therapy  
 contraindications, 34–5, 38  
 innervation, 22  
 sensory receptor response to topical  
 analgesics, 40  
 SLAP (superior labrum anterior  
 posterior) lesion, 250  
 Slipped disc *see* Herniated nucleus  
 pulposus  
 Soft tissues  
 injuries, 13–24  
 pain, 27–8  
 normalization of dysfunction, 9  
 Soft-tissue manipulation  
 Achilles tendinosis, 95–7  
 adductor strains, 145–7  
 ankle sprains, 80–3  
 anterior compartment syndrome,  
 98–100  
 anterior cruciate ligament sprain,  
 120–2  
 anterior pelvic tilt, 165–7  
 anterior shin splints, 101–3  
 bicipital tendinosis, 243–6  
 calcaneal valgus, 108–9  
 calcaneal varus, 110  
 carpal tunnel syndrome, 272–4  
 chondromalacia patellae, 135  
 cubital tunnel syndrome, 265–7  
 De Quervain's tenosynovitis, 275–7  
 excessive supination of foot, 111  
 forward head posture, 222–4  
 frozen shoulder, 229–32  
 genu valgum, 148  
 genu varum, 149  
 glenohumeral dislocation/  
 subluxation, 251–2  
 Guyon's canal syndrome, 278–9  
 hallux valgus, 104–5  
 hamstring strains, 143–4  
 Soft-tissue manipulation (continued)  
 iliotibial band friction syndrome,  
 136–8  
 kyphosis, 191–3  
 lateral collateral ligament sprain,  
 128–9  
 lateral epicondylitis, 257–60  
 lateral pelvic tilt, 170–2  
 low back pain  
 herniated disc, 183  
 neuromuscular, 177–80  
 lumbar lordosis, exaggerated, 190  
 medial collateral ligament sprain,  
 126–7  
 medial epicondylitis, 261–4  
 medial tibial stress syndrome, 101–3  
 meniscal injury, 139–40  
 Morton's foot, 105–6  
 Morton's neuroma, 84–6  
 neck pain  
 herniated disc, 205–6  
 neuromuscular, 201–3  
 overpronation, 113  
 patellar tendinosis, 141–2  
 patellofemoral pain syndrome, 132–4  
 pes cavus, 107  
 pes planus, 106  
 plantar fasciitis, 88–90  
 posterior cruciate ligament sprain,  
 123–4  
 posterior pelvic tilt, 168–9  
 pronator teres syndrome, 268–70  
 piriformis syndrome, 156–8  
 retrocalcaneal bursitis, 93–4  
 rotator cuff strain, 234–7  
 sacroiliac joint dysfunction, 160–2  
 scoliosis, 195  
 shoulder impingement, 239–40  
 shoulder separation, 247–9  
 spasmodic torticollis, 215–17  
 spondylolysis/spondylolysthesis,  
 187–9  
 subacromial bursitis, 242  
 tarsal tunnel syndrome, 91–2  
 thoracic outlet syndrome, 210–14  
 anterior scalene syndrome, 211–12  
 costoclavicular syndrome, 211–12  
 pectoralis minor syndrome,  
 212–14  
 trochanteric bursitis, 163–4  
 whiplash, 218–21  
 zygapophysial (facet) joint irritation,  
 184–6  
 Soleus  
 Achilles tendinosis, 96  
 medial tibial stress syndrome, 101,  
 102  
 plantar fasciitis, 88

- Soleus (continued)  
 compression broadening, 89  
 deep longitudinal stripping, 89  
 retrocalcaneal bursitis, 93  
*see also* Triceps surae group
- Spasmodic torticollis, 214–17
- Spinal extensors, 189  
 scoliosis, 195  
 spondylolysis/spondylolysis, 188
- Splenius capitis  
 forward head posture, 223  
 whiplash, 218
- Spondylolisthesis, 184
- Spondylolysis, 184, 186–9  
 positioning for treatment, 187–8
- Spondylolysis, 186–9  
 positioning for treatment, 187–8
- Sprains, ligament, 18, 67  
 grading, 18
- Spray and stretch, piriformis myofascial trigger points, 156
- Static compression, 48–9  
 with active muscle movement, 51, 52, 53  
 anterior scalene syndrome, 211  
 costoclavicular syndrome, 211  
 forward head posture  
 with head rotation, 223  
 sub-occipital muscles, 223  
 frozen shoulder  
 anterior chest muscles, 230–1  
 subscapularis, 231  
 iliotibial band friction syndrome,  
 trigger points in lateral thigh,  
 137  
 kyphosis  
 pectoralis major, 192  
 posterior back muscles, 193  
 lateral pelvic tilt, quadratus  
 lumborum/lumbar muscles,  
 170, 171  
 lengthening strokes, 50–1, 53  
 low back pain, 177, 178  
 neck pain, neuromuscular, 201, 202  
 neuromuscular tension reduction,  
 66  
 combined treatment techniques,  
 67  
 with passive joint movement, 50  
 piriformis muscle myofascial trigger  
 points, 156  
 reflex point systems, 69  
 rotator cuff strain  
 infraspinatus, 235–6  
 subscapularis, 236–7  
 teres minor, 235–6  
 sacroiliac joint dysfunction, gluteal  
 muscles, 160
- Static compression (continued)  
 shortening strokes, 50, 52  
 shoulder impingement, 239  
 trochanteric bursitis, tensor fasciae  
 latae, 163
- Static stretching, 58  
 ankle sprain, 82
- Steam rooms, 31, 32
- Sternoclavicular joint, 227
- Strain, muscle, 15–16, 67  
 grading, 16  
 multi-articulate muscles, 142
- Strain/counterstrain, 50
- Strengthening activities/strength  
 training, 10  
 adductor strains, 145  
 anterior pelvic tilt, 167  
 abdominal muscles, 165  
 bicipital tendinosis, 243  
 chondromalacia patellae, 134  
 forward head posture, 222  
 frozen shoulder, 229  
 hamstring strains, 143  
 lateral epicondylitis, 257  
 low back pain, 180  
 massage practitioner self-care, 10  
 patellar tendinosis, 140–1, 142  
 patellofemoral pain syndrome, vastus  
 medialis obliquus, 131  
 pes cavus, 107  
 pes planus, 106  
 posterior cruciate ligament  
 rehabilitation, 123  
 posterior pelvic tilt, 168  
 rotator cuff strain, 234  
 sacroiliac joint dysfunction, 161  
 shin splints prevention, 102  
 shoulder impingement, 239  
 shoulder separation, 249  
 subacromial bursitis, 241  
 thoracic outlet syndrome, 214  
 zygapophysial (facet) joint irritation,  
 184, 186
- Stress hormones, effects of massage, 69
- Stretch reflex, 57, 58  
 cold therapy response, 37–8  
 neck pain, 200
- Stretching, 9, 56–60, 65  
 Achilles tendinosis, 96  
 active-assisted, 59–60, 170  
 adductor strains, 145, 146  
 ankle sprain, 81, 82  
 anterior compartment syndrome,  
 chronic (exertional), 98–9  
 anterior cruciate ligament sprain,  
 quadriceps/hamstrings, 120  
 anterior pelvic tilt  
 iliopsoas, 165
- Stretching (continued)  
 quadratus lumborum, 165  
 rectus femoris, 165  
 ballistic, 58–9  
 bicipital tendinosis, 243, 245  
 calcaneal valgus, 109  
 calcaneal varus, tibialis anterior/  
 tibialis posterior, 110  
 carpal tunnel syndrome, 273  
 connective tissue effects, 56  
 cubital tunnel syndrome, 266  
 frozen shoulder, 229  
 hallux valgus, 104–5  
 hamstring strains, 143, 144  
 with heat application, 33  
 lateral epicondylitis, 257, 260  
 lateral pelvic tilt, quadratus  
 lumborum, 170  
 low back pain, 177  
 medial collateral ligament sprain,  
 adductor muscles, 126, 127,  
 130  
 medial epicondylitis, 261, 262  
 medial tibial stress syndrome, 102  
 neck pain, neuromuscular, 200  
 neurological effects, 56–7  
 patellar tendinosis, quadriceps, 141  
 patellar tracking disorders,  
 quadriceps retinaculum, 135  
 patellofemoral pain syndrome,  
 quadriceps, 132  
 plantar fasciitis, 88, 90  
 posterior pelvic tilt, 169  
 pronator teres syndrome, wrist  
 flexors, 270  
 piriformis muscle tightness, 155,  
 156  
 retrocalcaneal bursitis, 93  
 rotator cuff strain, 234, 237  
 shin splints, 101–2  
 spasmodic torticollis, 215  
 static, 58, 82  
 tarsal tunnel syndrome, 91  
 zygapophysial (facet) joint irritation,  
 184, 185, 186  
*see also* Neural stretching/  
 mobilization
- Stripping, 7  
 plantar fasciitis, 88, 89  
*see also* Deep longitudinal stripping;  
 Deep stripping; Multi-  
 directional short stripping
- Subacromial bursa, 240  
 compression, shoulder impingement,  
 238
- Subacromial bursitis, 240–2  
 frozen shoulder, 228
- Subacromial decompression, 234

- Subdeltoid bursa, 240
- Sub-occipital muscles  
forward head posture, 223, 224  
static compression, 223  
myofascial trigger points, 222
- Subscapularis, 232, 233–4  
frozen shoulder, 228  
static compression, 231  
myofascial trigger points, 210  
rotator cuff strain, 234, 235  
deep friction, 237  
static compression, 236–7  
shoulder impingement, 239
- Subtalar inversion, excessive supination  
of foot, 111
- Subtalar joint, 78
- Suitability of treatment, 7–8
- Superior gluteal nerve entrapment,  
piriformis syndrome, 154
- Supraspinatus, 232  
calcific tendinitis, 233  
compression, shoulder impingement,  
238  
rotator cuff strain, 232–3, 234  
deep friction to tendon, 235  
deep stripping, 235  
shoulder separation, deep stripping,  
248
- Supraspinatus tendon compression,  
shoulder impingement, 238
- Surgical treatment  
anterior compartment syndrome, 98  
anterior cruciate ligament sprain,  
120, 122  
carpal tunnel syndrome, 272  
chondromalacia patellae, 134  
cubital tunnel syndrome, 265  
De Quervain's tenosynovitis, 275  
frozen shoulder, 229  
glenohumeral dislocation/  
subluxation, 251  
hallux valgus, 104  
herniated nucleus pulposus, 182–3  
cervical, 205  
iliotibial band friction syndrome, 136  
lateral epicondylitis, 257  
medial epicondylitis, 261  
meniscal injury, 139  
Morton's neuroma, 84  
patellofemoral pain syndrome, 132  
pes cavus, 107  
posterior cruciate ligament sprain,  
123, 124  
piriformis syndrome, 155  
rotator cuff strain, 234  
ruptured muscles (third degree  
strain), 16  
scoliosis, 194
- Surgical treatment (continued)  
shoulder impingement, 239  
shoulder separation, 247  
spasmodic torticollis, 215  
spondylolysis, 187  
tarsal tunnel syndrome, 91  
thoracic outlet syndrome, 210  
trochanteric bursitis, 162
- Sweeping cross fiber, 45  
Achilles tendinosis, 95  
adductor strains, 145, 146  
anterior compartment syndrome,  
chronic (exertional), 99  
anterior cruciate ligament sprain,  
quadriceps/hamstrings, 121  
anterior pelvic tilt  
iliopsoas, 165  
lumbar muscles, 166  
quadratus lumborum, 165  
rectus femoris, 165  
anterior scalene syndrome, 211  
bicipital tendinosis, 243  
biceps brachii, 243–4  
costoclavicular syndrome, 211  
cubital tunnel syndrome, wrist  
flexors, 265  
frozen shoulder, 229  
anterior chest muscles, 230  
glenohumeral dislocation/  
subluxation  
anterior chest muscles, 251–2  
biceps brachii, 252  
hamstring strains, 143, 144  
iliotibial band friction syndrome,  
lateral/anterior thigh muscles,  
137  
kyphosis, anterior chest muscles, 191  
lateral collateral ligament sprain, 129  
lateral knee, 129  
lateral thigh, 129  
lateral epicondylitis, wrist extensors,  
257–8  
lateral pelvic tilt, lumbar muscles,  
170–1  
low back pain, neuromuscular,  
177–8  
medial collateral ligament sprain,  
126, 127  
medial epicondylitis, wrist flexors,  
261, 262  
neck pain, neuromuscular, 201  
neuromuscular tension reduction, 66  
patellar tendinosis, 141  
patellofemoral pain syndrome,  
quadriceps, 132  
posterior pelvic tilt  
hamstrings, 168  
rectus abdominis, 168
- Sweeping cross fiber (continued)  
piriformis syndrome, gluteal  
muscles, 156  
sacroiliac joint dysfunction  
gluteal muscles, 160  
lumbar muscles, 160–1  
shoulder separation, 247  
anterior chest muscles, 248  
spasmodic torticollis, 216  
spondylolysis/spondylolysis,  
188  
tissue fluid movement enhancement,  
65  
trochanteric bursitis, gluteal muscles,  
163  
whiplash associated disorder, 219
- Synovial membrane, 19
- Synovial sheath, 17
- ## T
- Talocrural joint, 78, 79
- Talofibular ligament, 79
- Tarsal tunnel syndrome, 90–2
- Temporomandibular joint, 200
- Tendinitis, 17
- Tendinosis, 17, 67  
deep transverse friction, 46
- Tendon, 17–18  
massage effects, 67
- Tennis elbow *see* Lateral epicondylitis
- Tenosynovitis, 17–18, 67
- Tension night splint, plantar fasciitis, 87,  
88
- Tensor fasciae latae  
iliotibial band friction syndrome,  
137  
myofascial trigger point  
treatment, 137  
pin and stretch, 137–8  
trochanteric bursitis, 162, 163  
deep longitudinal stripping, 163  
pin and stretch, 163–4  
static compression, 163  
sweeping cross fiber, 163
- Teres major, myofascial trigger points,  
210
- Teres minor, 232  
glenohumeral dislocation/  
subluxation, deep stripping,  
252  
rotator cuff strain, 233  
active engagement lengthening,  
236  
deep stripping, 236  
static compression, 235–6
- Thermal capsulorrhaphy, glenohumeral  
dislocation/subluxation, 251

Thermal modalities, 27–41  
 heat transfer considerations, 29–30  
*see also* Cold therapy (cryotherapy);  
 Heat therapy; Topical  
 analgesics

Thoracic outlet syndrome, 8, 206–14  
 causes, 207–9  
 pathology, 206–7

Thrombophlebitis, heat therapy  
 contraindication, 34

Thumb stroking, tarsal tunnel  
 syndrome, 91–2

Tibial artery/vein compression, anterior  
 compartment syndrome, 97

Tibial nerve compression, tarsal tunnel  
 syndrome, 90

Tibial stress fracture, 101

Tibialis anterior, 97  
 calcaneal valgus, 108, 109  
 calcaneal varus, 110  
 pes cavus, 107  
 shin splints, 101

Tibialis posterior, 90  
 ankle sprain, 81  
 calcaneal valgus, 108, 109  
 calcaneal varus, 110  
 medial tibial stress syndrome, 101, 102  
 overpronation, 111  
 pes cavus, 107  
 pes planus, 106  
 plantar fasciitis, 88  
 deep stripping, 89  
 positions, 103  
 tarsal tunnel syndrome, 91

Tibiocalcaneal ligament, 79

Tibiofemoral joint, 118

Tibiofibular joint/syndesmosis, 78, 79  
 sprain, 80

Tibionavicular ligament, 79

Tight muscles *see* Hypertonicity

Tissue fluid movements, treatment  
 effects, 64–7

Topical analgesics  
 categories, 39–40  
 heat therapy contraindication, 35,  
 40, 41  
 precautions, 41  
 therapeutic effects, 40–1  
 use as thermal agents, 39–41

Touch with therapeutic intent, 68

Transverse carpal ligament (flexor  
 retinaculum), 270  
 carpal tunnel syndrome  
 myofascial techniques, 272, 273  
 stretching, 273  
 Guyon's tunnel syndrome, myofascial  
 techniques, 279

Transversospinalis, scoliosis, 194

Trapezius  
 forward head posture, 222, 223  
 kyphosis, 191  
 deep stripping, 193  
 effleurage, 192  
 sweeping cross fiber, 192  
 shoulder separation, deep stripping,  
 248

Trapezoid ligament, shoulder  
 separation, 246

Triceps surae group  
 Achilles tendinosis, 95, 96  
 plantar fasciitis, 88, 89  
 retrocalcaneal bursitis, 93

Trigger points, 15  
 pressure release, 49  
 referral patterns, 15  
*see also* Myofascial trigger points

Trochanteric bursa, 162

Trochanteric bursitis, 162–4

True neurologic (neurogenic) thoracic  
 outlet syndrome, 207, 211  
 surgical treatment, 210

## U

Ulnar nerve  
 cubital tunnel syndrome, 264–5  
 mobilization, 266  
 cutaneous distribution, 207, 209  
 Guyon's canal syndrome, 277, 278  
 mobilization, 279  
 neural mobilization technique, 213  
 thoracic outlet syndrome  
 involvement, 207, 209

Ultrasound, 30, 32  
 cervical herniated nucleus pulposus,  
 205  
 contraindication in pregnancy, 34  
 frozen shoulder, 229  
 lateral epicondylitis, 257  
 rotator cuff strain, 234  
 “Unhappy triad” knee injuries, 125

Upper crossed syndrome, 191  
 forward head posture, 222

## V

Vapo-coolant sprays, 36

Vastus lateralis, iliotibial band friction  
 syndrome, myofascial trigger  
 points, 136, 137

Vastus medialis obliquus, 130

Vastus medialis obliquus (continued)  
 patellofemoral pain syndrome, 131

Vertebral artery test, 221, 224

Vertebral stress fracture, 186  
 forward head posture, 222

Vertebrobasilar insufficiency, 212, 214,  
 216, 220, 221, 224

Viscerosomatic reflex, 70

## W

Whiplash (whiplash associated disorder),  
 217–21  
 categories of severity, 217

Whirlpool tub immersion, 31, 36

Wrist braces/splints  
 carpal tunnel syndrome, 272  
 Guyon's canal syndrome, 278

Wrist extensors, lateral epicondylitis, 256  
 active engagement, 258–9  
 compression broadening, 258  
 deep friction to tendons, 259  
 deep longitudinal stripping, 258  
 effleurage, 257  
 sweeping cross fiber, 257–8

Wrist flexors  
 carpal tunnel syndrome, 272  
 stretching, 273  
 cubital tunnel syndrome  
 active engagement shortening/  
 lengthening, 266  
 sweeping cross fiber, 265

Guyon's canal syndrome  
 compression broadening, 278  
 deep stripping, 278–9  
 medial epicondylitis, 260, 261  
 active engagement shortening/  
 lengthening, 261, 263  
 compression broadening, 261,  
 262  
 deep friction to common  
 tendons, 263  
 deep longitudinal stripping, 262  
 sweeping cross fiber, 261, 262  
 pronator teres syndrome, 268, 270  
 active engagement lengthening,  
 268–9  
 compression broadening, 268  
 deep stripping, 268

Wry neck *see* Spasmodic torticollis

## Z

Zygapophysial (facet) joint irritation,  
 183–6, 222

Zygapophysial joints, 183–4